



Mental Health Challenges And Pathways To Support For Transgender Individuals

Vutla Govardhani*¹, Muppana Saikiran¹, Bhukya Moshe Nayak¹,

Panchumarthy Ravisankar²

¹Department of Pharmacy Practice, Vignan Pharmacy College, Vadlamudi, Guntur, A.P, India.

² Professor & HOD, Department of Pharmaceutical Analysis, Vignan Pharmacy College,
Vadlamudi, Guntur, A.P, India.

Abstract: Transgender people deal with a distinct set of mental health issues, many of which are influenced by the intricate relationship between gender identity, prejudice in society, and care access. The mental health issues that transgender person's face—such as body dysmorphia, depression, anxiety, suicidality, and gender dysphoria—as well as the substantial influence of outside variables including prejudice, societal stigma, and a lack of familial support are all included in this review article. According to the article, transgender people face a disproportionate number of mental health problems as a result of being marginalized in a variety of spheres of life, such as social connections, work, and healthcare. Furthermore, the analysis highlights the significance of inclusive environments, mental health support, and gender-affirming care in enhancing mental health outcomes for transgender individuals. This article seeks to provide a thorough understanding of the mental health needs of transgender people by examining these difficulties and resilience factors. It emphasizes the significance of developing a more accessible, accepting, and supportive healthcare system and society for this vulnerable group.

Index Terms - Transgender, mental health, gender-affirming care, resilience, psychological well-being, inclusive environments.

I. INTRODUCTION

Although it is a vital component of total wellbeing, mental health is frequently influenced by the interaction of social factors and personal experiences. The road to mental wellbeing for transgender people can be paved with special obstacles that are linked to the intricacies of gender identity and made worse by outside forces like prejudice, social rejection, and inadequate medical care [1]. People who are transgender, or whose gender identity is different from the sex they were assigned at birth, frequently have to navigate a society that is not designed for them. Significant psychological anguish and a higher risk of mental health problems may result from this [2].

Although a person's gender identification is an extremely intimate and fundamental aspect of who they are, the larger social context has a significant impact on how transgender people perceive their mental health [2]. Many transgender persons experience overt and covert rejection and stigmatization from an early age, which can negatively impact their mental health for a long time [27]. The distress that transgender persons may feel is somewhat captured by the term gender dysphoria, which refers to a condition in which a person has considerable discomfort or suffering because of a mismatch between their gender identity and the sex they were given at birth [7]. Their mental health issues are frequently made worse by outside variables like lack of family, societal stigma, and discrimination in the workplace, healthcare system, and educational system [14].

Additionally, while transitioning whether socially, hormonally, or surgically is frequently an essential step in bringing one's internal identity and external reality into alignment, it can also be emotionally taxing [14]. Mental health might suffer as a result of the intricacies of navigating a gendered society, financial obstacles to receiving gender-affirming care, and rejection anxiety [2].

Many transgender people exhibit extraordinary perseverance in the face of these obstacles, finding support in their chosen communities and strength in their identities. Access to supportive networks, mental health services, and gender-affirming healthcare can all help to enhance psychological outcomes and strengthen this resilience [26]. But for many transgender persons, common problems including a lack of social acceptability and access to quality treatment continue to be major obstacles to mental health.

The purpose of this article is to give a thorough analysis of the mental health issues that transgender people encounter, look at the underlying causes of these issues, and provide guidance on how to enhance mental health and overall wellbeing. We may endeavor to create a more accepting and inclusive atmosphere that promotes the well-being of transgender persons worldwide by comprehending the junction of gender identity, societal factors, and mental health.

II. UNDERSTANDING GENDER DYSPHORIA AND MENTAL HEALTH STRUGGLES

At the heart of many mental health challenges for transgender individuals is gender dysphoria, a psychological condition where an individual experiences significant discomfort or distress because their gender identity differs from the sex they were assigned at birth [7]. While not all transgender individuals experience gender dysphoria, for those who do, it can lead to profound emotional and psychological consequences, including:

Depression and Anxiety: People who identify as transgender in India are much more likely to suffer from depression. A person may experience extreme emotional distress as a result of the ongoing stress of negotiating prejudice, rejection, and the internal struggle between their gender identity and external expectations. Depression is influenced by a number of variables, including a lack of familial support, social stigma, and financial difficulties. Isolation and despair are frequently made worse by the lack of a support network. Transgender individuals frequently experience panic attacks, social anxiety, and generalized anxiety disorder. Fear of violence, prejudice, or rejection from peers and family are common causes of anxiety. One of the contributing causes is the ongoing pressure to hide one's gender identity or to fit in with society's expectations, which increases tension and worry [1][2]

Suicidality and Self-Harm: Transgender individuals in India have much greater incidence of suicide and self-harm than the general population. Due to the severe emotional distress they experience, many transgender people have thought about or tried suicide, according to several studies and stories. Among the contributing considerations are Bullying, social marginalization, and rejection from family are some of the main causes of suicidal thoughts. The inability to receive mental health care and the lack of acceptance can drive people to the edge [5][6].

Body Dysmorphia: A person with gender dysphoria feels uneasy or distressed because their gender identity and the gender they were assigned at birth don't match. When social constraints prevent them from expressing or affirming their gender identity, transgender people in India frequently suffer from this ailment. Among the contributing considerations are Adding to the pain is the inaccessibility of gender-affirming medical care, including hormone therapy and gender-affirming surgery. There is emotional pain and sorrow when one is unable to freely express one's gender identity or transition.[7]

Post-Traumatic Stress Disorder (PTSD): Transgender people are susceptible to PTSD, especially if they experience severe kinds of abuse, bullying, or violence. Among the contributing elements are In India, a large number of transgender persons experience assault at work, in public areas, and at home. Flashbacks, nightmares, hypervigilance, and intrusive thoughts are common among those who have experienced sexual assault, physical violence, or emotional abuse [3][4]

Social Isolation and Loneliness: Many transgender people in India suffer from extreme social isolation as a result of rejection from their families, communities, and places of employment. Chronic loneliness can lead to a decline in one's physical and emotional well-being. Among the contributing elements are People who identify as transgender frequently experience ostracization, which results in a lack of social support and exacerbates depressive and alienated feelings [8].

III. ROLE OF DISCRIMINATION AND STIGMA

Discrimination is a major external factor that exacerbates mental health challenges for transgender individuals. Transgender people often encounter prejudice in multiple areas of their lives, including:

Workplace Discrimination: At employment, a lot of transgender people encounter discrimination or harassment. This can result in a sense of professional marginalization, unstable finances, and job insecurity, all of which can be detrimental to mental health[11].

Social Stigma: From overt acts of transphobic violence to more covert forms of discrimination like misgendering and microaggressions, the stigma associated with transgender identities can take many different forms. This ongoing encounter with discrimination can undermine self-esteem and lead to feelings of invalidation. [27]

Healthcare Barriers: Healthcare professionals frequently discriminate against and don't understand transgender persons, which can discourage them from getting care and have a detrimental effect on their mental health. Furthermore, financial, practical, or legal obstacles may make it difficult for transgender people to receive gender-affirming medical treatments. [12]

IV. THE IMPACT OF FAMILY AND SOCIAL SUPPORT

Another important aspect that can affect transgender people's mental health is whether or not their families accept them. Support from family members is associated with significantly improved mental health outcomes for transgender people, including decreased rates of anxiety, depression, and suicidality, according to research. However, rejection from family members can make one feel even more alone, which increases the risk of substance addiction, homelessness, and mental health issues.

Friends, communities, and chosen families are all examples of social support outside of the family. In order to help transgender people deal with the difficulties of gender identification and promote a feeling of acceptance and belonging, supportive networks can be quite helpful. Online and in-person peer support groups can also be a valuable tool for transgender individuals to connect with others who share similar experiences and challenges [11].

V. LITERATURE REVIEW

Kavitha et al. (2019) The psychological effects of gender dysphoria in India's third-gender society are examined in Laxminarayan Tripathi's autobiography, *Me Hijra, Me Laxmi*, with an emphasis on the emotional turmoil that comes with transitioning in a culture that rejects. It highlights how community support and activism can help people deal with social rejection [10]. Sanyal et al. (2016) Highlights the effect of cultural customs and socioeconomic changes on gender dysphoria in Eastern India. Along with recommendations for improved mental health care and legal rights, it highlights the psychological pain brought on by discrimination, social rejection, and family pressure [11]. Arvind et al. (2022) discusses how violence, rejection from family, economic marginalization, and restricted access to healthcare have made the mental health issues of Hijra people and transgender women in Vadodara, India, worse. The study highlights the need for increased access to healthcare and legal safeguards [12]. Kohnepoushi et al. (2023) According to a systematic review, transgender people are more likely to experience suicidal thoughts and attempts, and mental health issues are greatly exacerbated by discrimination and a lack of social support. There are calls for inclusive laws and better mental health treatment [13]. Parikh-Chopra et al. (2018) explores the particular difficulties that Hijras in India confront, such as increased rates of minority stress, anxiety, despair, and suicidal thoughts brought on by prejudice, violence, and subpar medical care. The study promotes social acceptance and targeted mental health solutions [14]. Virupaksha et al. (2016) highlights how stigma, discrimination, and marginalization in society increase the risk of suicidality for transgender people. It emphasizes the necessity of more inclusive healthcare, knowledge, and support for mental health [15]. Hebbar et al. (2017) draws attention to the high rate of mental health conditions, such as substance misuse and depression, among transgender people in Imphal, Manipur, which is made worse by social discrimination, stigma, and a lack of support. The study promotes destigmatizing transgender identities and inclusive healthcare [16]. Pandey et al. (2018) examines how harassment and discrimination affect transgender people's mental health and quality of life, emphasizing how perceived bias can exacerbate suicidal thoughts, anxiety, and depression. To overcome these difficulties, it urges inclusive legislation and public awareness campaigns [17]. Gomes de Jesus et al. (2020): A qualitative investigation of the effects of stigma, discrimination, and assault on the mental health of transgender women in Brazil and India. The study promotes culturally sensitive mental health care and highlights the value of activism, community support, and legal protections [18]. Halli et al. (2021) examines how prejudice, assault, familial rejection, and a lack of access to healthcare contribute to suicidality among gender minorities in Karnataka, India. In order to lower suicidality rates, the study advocates for social inclusion, public knowledge,

and gender-affirming mental health services [19]. Lal et al. (2023) focuses on the lack of legal rights, discrimination, and social stigma that transgender individuals in India endure, which affects their economic, health, and psychological well-being. In order to enhance mental health outcomes, it promotes extensive reforms in legal rights, social inclusion, and healthcare access [20]. Bhattacharya et al. (2020) Studies on the health of the Hijra, Kothi, and transgender groups in Kolkata emphasize the high prevalence of mental health conditions like anxiety and depression as well as the obstacles to healthcare, such as stigma and prejudice. In order to meet these needs, the report recommends that healthcare systems be culturally competent [21]. Valentine et al. (2018) A overview of mental health and social stress among transgender individuals in the US, emphasizing the higher rates of depression, anxiety, and suicidality brought on by rejection, stigma, and assault. It demands greater availability of social support and healthcare that is gender affirming [22]. Seelman et al. (2017) focuses on how delayed care and fear of prejudice worsen health issues as it examines the effects of transgender non-inclusive healthcare on mental health. The report urges more access to gender-affirming care and inclusive healthcare policies [23]. Oswalt et al. (2017) investigates the mental health problems that transgender college students encounter, emphasizing the prejudice, social exclusion, and lack of help. The study highlights how crucial it is to establish welcoming campus cultures in order to enhance transgender students' mental health results [24]. Ssekamatte et al. (2022) draws attention to the multidimensional issues that trans women in Uganda experience, including gender-based violence and anti-LGBTQ+ sentiment. The study highlights the necessity of more robust community support networks and trauma-informed, inclusive therapy [25]. Wang et al. (2021) examines the connection between mental health problems and parental psychological abuse in transgender and genderqueer adolescents, utilizing network analysis to find symptom patterns. It emphasizes how crucial it is to treat trauma and gender identity in mental health care [26]. Hoffman et al. (2014) explains how transgender women have higher incidence of depression, especially as a result of social stigma, discrimination, and gender dysphoria. It highlights how crucial it is to provide this community with inclusive, culturally aware mental health care [27]. Sapareto et al. (2018) focuses on how stigma, discrimination, and gender dysphoria lead to anxiety, depression, and substance addiction as it examines mental health concerns among transgender people using minority stress theory. In addition to addressing intersectional issues including ethnicity and socioeconomic background, the study advocates for gender-affirming care [28]. Grossman et al. (2011) examines the elements of self-acceptance, gender-affirming care, and social support that affect transgender youth's psychological resilience. It emphasizes how crucial supportive settings are for lowering suicidality and enhancing mental health results [29]. Hoy-Ellis et al. (2017) examines depression in older transgender people, focusing on the lack of gender-affirming care and the effect of minority stress and prejudice. The study promotes inclusive care that tackles pressures faced by minorities as well as aging-related concerns [30]. Brown et al. (2016) Due to gender dysphoria, minority stress, and discrimination in military and healthcare settings, transgender veterans in the United States had higher rates of depression, anxiety, and suicidality than their cisgender counterparts, according to a study. The study emphasizes the importance of addressing medical disparities and providing care that is culturally competent [31]. Kattari et al. (2020) explores how healthcare contacts affect the mental health of transgender and nonbinary adults, emphasizing how affirming, good interactions can lower anxiety, sadness, and suicidality while negative interactions increase stress and mental health problems. The report urges more inclusive settings and better training for healthcare professionals [32]. Reisner et al. (2015) Higher rates of anxiety, sadness, and suicidal thoughts are found in a study of transgender youth getting care at an urban community health center. These symptoms are made worse by social stigma and gender dysphoria. The study highlights how supportive environments and gender-affirming care can improve mental health outcomes [33].

VI. PATHWAYS TO SUPPORT AND RESILIENCE:

Despite the mental health challenges faced by many transgender individuals, there are numerous avenues for support and resilience that can improve mental well-being and mitigate the negative impact of discrimination and social stigma:

Gender-Affirming Care: Psychological well-being can be greatly enhanced by having access to gender-affirming medical care, such as hormone replacement therapy (HRT), surgeries, and transgender-specific mental health assistance. According to studies, transgender people experience less anxiety, despair, and discomfort when they can transition in a fashion that is consistent with their gender identification [12].

Mental Health Support: Counselling and treatment specifically designed to meet the needs of transgender people can be an invaluable resource. Gender-affirmative therapy-trained mental health providers can offer a secure environment for clients to explore their gender identity since they are aware of the particular challenges and experiences faced by transgender individuals. Anxiety, sadness, and trauma are among the conditions that can be helped by cognitive behavioural therapy (CBT) and other research-based therapies [1][2][3].

Building Strong Support Networks: A priceless resource is counselling and treatment tailored to the requirements of transgender individuals. Mental health professionals that have received training in gender-affirmative therapy can provide a safe space for clients to explore their gender identity since they understand the unique difficulties and problems that transgender people confront. Cognitive behavioural therapy (CBT) and other evidence-based therapies can help with a variety of disorders, including anxiety, depression, and trauma.

Public Awareness and Education: Stigma and discrimination can be lessened by raising public awareness of gender identity issues and transgender experiences. Promoting inclusivity and improved mental health support can be achieved by educating healthcare systems, companies, and educational institutions about the difficulties faced by transgender people [27][16].

Policy Changes: Transgender people's mental health and general well-being can be greatly enhanced by legal safeguards against discrimination, access to gender-affirming medical care, and the acknowledgment of gender identity in official papers (such as driver's licenses, passports, and medical records). In the continuous struggle for mental health justice and gender equality, advocacy for these rights is essential [23].

Therapy:

Gender-Affirming Therapy: To establish a safe space where transgender people can freely explore their gender identification without fear of condemnation. Gender-affirming therapists are educated to verify their clients' experiences, respect their gender identities, and use appropriate names and pronouns. Supporting clients' self-perception and gender expression is the main goal [12].

Cognitive Behavioural Therapy (CBT): To aid in the management and alleviation of mental health symptoms such as depression, anxiety, and others that are prevalent in people who are subjected to prejudice or stigma. In order to manage stresses associated with gender dysphoria, societal stigma, and discrimination, cognitive behavioural therapy (CBT) is useful for resolving negative thought patterns, enhancing emotional regulation, and developing coping mechanisms.

Trauma-Informed Therapy: To treat trauma that could result from encounters with violence, rejection, prejudice, or other types of marginalization. The goal of trauma-informed care is to foster understanding, safety, and trust. Trauma processing methods include somatic experiencing and Eye Movement Desensitization and Reprocessing (EMDR)[3][4].

Acceptance and Commitment Therapy (ACT): To improve resilience by assisting clients in embracing challenging feelings and concentrating on activities that are consistent with their values. By encouraging attention and dedication to personal objectives, ACT assists transgender people in navigating the complicated emotions connected to gender dysphoria, social pressures, and self-acceptance [34].

Supportive Counselling and Life Skills Therapy: To help individuals navigate healthcare institutions and deal with real-world issues including housing, work, and relationships. Transgender people can develop resilience and self-advocacy skills with the help of supportive counselling, which provides helpful direction and assistance [35].

Family Therapy: To promote family support and understanding, which is essential for transgender people's wellbeing, particularly for young people. In order to support the individual's journey, family therapy may concentrate on educating family members, clearing up misunderstandings, and strengthening bonds [36].

Group Therapy and Peer Support Groups: To promote a feeling of community and lessen isolation. In order to foster resilience and lessen feelings of loneliness, group therapy offers a secure setting for connecting with people who have gone through similar things [37].

VII. CONCLUSION:

A wide range of mental health issues affect transgender people, fueled by both internal (such as gender dysphoria and issues with body image) and external (such as social stigma, discrimination, and limited access to affirming care) causes. Even though these obstacles can be quite severe, a lot of transgender persons show incredible fortitude, which is bolstered by having access to mental health resources, gender-affirming care, and welcoming social networks. To guarantee that transgender people may live healthy, satisfying lives in the future, society must raise knowledge, lessen discrimination, and establish friendly surroundings. Transgender individuals should receive thorough, empathetic mental health care that is adapted to their particular needs as members of a diverse community. Transgender people's mental health issues are intricately linked to personal, cultural, and societal variables. A complex web of barriers, including stigma, discrimination, lack of family support, and restricted access to care that is gender affirming, can have a serious negative influence on mental health. Many transgender people experience greater rates of trauma, anxiety, despair, and suicidality as a result of the discomfort of gender dysphoria combined with social rejection. Long-lasting psychological damage may result from the challenges individuals have navigating a culture that frequently rejects their gender

identification. Improving the mental health outcomes of transgender people, however, requires an awareness of and attention to their particular needs. Having access to supportive networks, mental health services, and gender-affirming medical treatment is essential for building resilience and advancing wellbeing. According to research, transgender people's mental health considerably improves when they have access to inclusive healthcare and are supported by their communities, friends, and family. Fighting against the stigma and discrimination transgender persons experience is also essential. Advocating for legislative rights, changing policies, and educating the public are all essential elements in fostering an inclusive atmosphere. We can lessen the negative consequences of prejudice and foster the mental health of transgender people by encouraging acceptance and understanding at all levels, including in healthcare systems, workplaces, educational institutions, and society at large. We must acknowledge that transgender people's mental health is a societal problem rather than just an individual one in our quest for a more compassionate and just society. We can contribute to making sure that transgender people can not only survive but also flourish by creating an atmosphere of acceptance, inclusivity, and all-encompassing care. By listening, supporting, and campaigning, we may help clear the path for a time when everyone can live genuinely and with dignity. The path to improved mental health for transgender persons is one of shared responsibility.

REFERENCES

- [1] Budge, S.L., Adelson, J.L. and Howard, K.A., 2013. Anxiety and depression in transgender individuals: the roles of transition status, loss, social support, and coping. *Journal of consulting and clinical psychology*, 81(3), p.545.
- [2] Millet, N., Longworth, J. and Arcelus, J., 2017. Prevalence of anxiety symptoms and disorders in the transgender population: A systematic review of the literature. *International Journal of Transgenderism*, 18(1), pp.27-38.
- [3] Marchi, M., Travascio, A., Uberti, D., De Micheli, E., Grenzi, P., Arcolin, E., Pingani, L., Ferrari, S. and Galeazzi, G.M., 2023. Post-traumatic stress disorder among LGBTQ people: a systematic review and meta-analysis. *Epidemiology and Psychiatric Sciences*, 32, p.e44.
- [4] Reisner, S.L., White Hughto, J.M., Gamarel, K.E., Keuroghlian, A.S., Mizock, L. and Pachankis, J.E., 2016. Discriminatory experiences associated with posttraumatic stress disorder symptoms among transgender adults. *Journal of counseling psychology*, 63(5), p.509.
- [5] Taliaferro, L.A., McMorris, B.J., Rider, G.N. and Eisenberg, M.E., 2019. Risk and protective factors for self-harm in a population-based sample of transgender youth. *Archives of suicide research*, 23(2), pp.203-221.
- [6] Liu, R.T. and Mustanski, B., 2012. Suicidal ideation and self-harm in lesbian, gay, bisexual, and transgender youth. *American journal of preventive medicine*, 42(3), pp.221-228.
- [7] Zucker, K.J., 2017. Epidemiology of gender dysphoria and transgender identity. *Sexual health*, 14(5), pp.404-411.
- [8] Hajek, A., König, H.H., Blessmann, M. and Grupp, K., 2023, May. Loneliness and social isolation among transgender and gender diverse people. In *Healthcare* (Vol. 11, No. 10, p. 1517). MDPI.
- [9] Mason, A., Crowe, E., Haragan, B., Smith, S. and Kyriakou, A., 2023. Gender dysphoria in young people: a model of chronic stress. *Hormone Research in Paediatrics*, 96(1), pp.54-65.
- [10] Kavitha, T.A., 2019. Gender Dysphoria Among Indian Third Gender In Laxminarayan Tripathi's Autobiographies. *Think India Journal*, 22(5), pp.108-113.
- [11] Sanyal, D. and Majumder, A., 2016. Presentation of gender dysphoria: A perspective from Eastern India. *Indian Journal of Endocrinology and Metabolism*, 20(1), pp.129-133.
- [12] Arvind, A., Pandya, A., Amin, L., Aggarwal, M., Agrawal, D., Tiwari, K., Singh, S., Nemkul, M. and Agarwal, P., 2022. Social strain, distress, and gender dysphoria among transgender women and Hijra in Vadodara, India. *International Journal of Transgender Health*, 23(1-2), pp.149-163.
- [13] Kohnepoushi, P., Nikouei, M., Cheraghi, M., Hasanabadi, P., Rahmani, H., Moradi, M., Moradi, G., Moradpour, F. and Moradi, Y., 2023. Prevalence of suicidal thoughts and attempts in the transgender population of the world: a systematic review and meta-analysis. *Annals of general psychiatry*, 22(1), p.28.
- [14] Parikh-Chopra, S., 2018. Transgender minority stress and mental health outcomes among Hijras in India. *The Chicago School of Professional Psychology*.
- [15] Virupaksha, H.G., Muralidhar, D. and Ramakrishna, J., 2016. Suicide and suicidal behavior among transgender persons. *Indian journal of psychological medicine*, 38(6), pp.505-509.
- [16] Hebbar, Y.N. and Singh, B., 2017. Psychiatric morbidity in a selective sample of transgenders in Imphal, Manipur: A descriptive study. *Annals of Indian Psychiatry*, 1(2), pp.114-117.

- [17] Pandey, M.K., 2018. Assessing the mental health and quality of life of transgenders: The role of perceived discrimination and harassment. *Indian Journal of Mental Health*, 5(3), pp.324-335.
- [18] Gomes de Jesus, J., Belden, C.M., Huynh, H.V., Malta, M., LeGrand, S., Kaza, V.G.K. and Whetten, K., 2020. Mental health and challenges of transgender women: A qualitative study in Brazil and India. *International Journal of Transgender Health*, 21(4), pp.418-430.
- [19] Halli, S.S., Isac, S., Bhattacharjee, P., Dutta, S., Ramesh, B.M., Lorway, R. and Blanchard, J., 2021. Suicidality among gender minorities in Karnataka, South India. *BMC psychiatry*, 21, pp.1-10.
- [20] Lal, B.S., 2023. Transgenders Community in India Socioeconomic Health and Psychological Conditions. *Journal of Research in Social Science and Humanities*, 2(11), pp.1-8.
- [21] Bhattacharya, S. and Ghosh, D., 2020. Studying physical and mental health status among hijra, kothi and transgender community in Kolkata, India. *Social Science & Medicine*, 265, p.113412.
- [22] Valentine, S.E. and Shipherd, J.C., 2018. A systematic review of social stress and mental health among transgender and gender non-conforming people in the United States. *Clinical psychology review*, 66, pp.24-38.
- [23] Seelman, K.L., Colón-Díaz, M.J., LeCroix, R.H., Xavier-Brier, M. and Kattari, L., 2017. Transgender noninclusive healthcare and delaying care because of fear: connections to general health and mental health among transgender adults. *Transgender health*, 2(1), pp.17-28.
- [24] Oswalt, S.B. and Lederer, A.M., 2017. Beyond depression and suicide: The mental health of transgender college students. *Social Sciences*, 6(1), p.20.
- [25] Ssekamatte, T., Nalugya, A., Isunju, J.B., Naume, M., Oputan, P., Kiguli, J., Wafula, S.T., Kibira, S.P.S., Ssekamatte, D., Orza, L. and Mugambe, R.K., 2022. Help-seeking and challenges faced by transwomen following exposure to gender-based violence; a qualitative study in the Greater Kampala Metropolitan Area, Uganda. *International journal for equity in health*, 21(1), p.171.
- [26] Wang, Y., Ma, Z., Wilson, A., Hu, Z., Ying, X., Han, M., Cui, Z. and Chen, R., 2021. Psychopathological symptom network structure in transgender and gender queer youth reporting parental psychological abuse: a network analysis. *BMC medicine*, 19, pp.1-15.
- [27] Hoffman, B., 2014. An overview of depression among transgender women. *Depression research and treatment*, 2014(1), p.394283.
- [28] Sapareto, E.A., 2018. Minority stress and mental health among transgender persons.
- [29] Grossman, A.H., D'augelli, A.R. and Frank, J.A., 2011. Aspects of psychological resilience among transgender youth. *Journal of LGBT youth*, 8(2), pp.103-115.
- [30] Hoy-Ellis, C.P. and Fredriksen-Goldsen, K.I., 2017. Depression among transgender older adults: General and minority stress. *American Journal of Community Psychology*, 59(3-4), pp.295-305.
- [31] Brown, G.R. and Jones, K.T., 2016. Mental health and medical health disparities in 5135 transgender veterans receiving healthcare in the Veterans Health Administration: A case-control study. *LGBT health*, 3(2), pp.122-131.
- [32] Kattari, S.K., Bakko, M., Hecht, H.K. and Kattari, L., 2020. Correlations between healthcare provider interactions and mental health among transgender and nonbinary adults. *SSM-population health*, 10, p.100525.
- [33] Reisner, S.L., Veters, R., Leclerc, M., Zaslow, S., Wolfrum, S., Shumer, D. and Mimiaga, M.J., 2015. Mental health of transgender youth in care at an adolescent urban community health center: a matched retrospective cohort study. *Journal of adolescent health*, 56(3), pp.274-279.
- [34] Bennett, C.M. and Dillman Taylor, D., 2019. ACTing as yourself: Implementing acceptance and commitment therapy for transgender adolescents through a developmental lens. *Journal of child and adolescent counseling*, 5(2), pp.146-160.
- [35] Korell, S.C. and Lorah, P., 2007. An Overview of Affirmative Psychotherapy and Counseling With Transgender Clients.
- [36] Edwards, L., Goodwin, A. and Neumann, M., 2019. An ecological framework for transgender inclusive family therapy. *Contemporary Family Therapy*, 41, pp.258-274.
- [37] Johnson, A.H. and Rogers, B.A., 2020. "We're the normal ones here": community involvement, peer support, and transgender mental health. *Sociological Inquiry*, 90(2), pp.271-292.