



# High Voltage Pulse Generator Electric Stun Gun Emphasizing For Women Safety

**Students Of Electronics And Telecommunication Engineering Department**

<sup>1</sup>Mr. vishal yadav, <sup>2</sup>Mr.vikas chaurasiya, <sup>3</sup>Mr.pawan pal, <sup>4</sup>Mr. Aman gupta,  
<sup>1</sup>Faculty Of Electronics And Telecommunication Engineering, Mrs. Aparna Majare  
Shree LR Tiwari College Of Engineering

**Abstract**—Electric stun gun, commonly referred to as stun guns or conducted energy devices (CEDs), have emerged as widely used non-lethal weapons in a variety of security-related domains. These devices operate by delivering a high-voltage, low-current electrical shock that incapacitates an individual temporarily by disrupting the body's neuromuscular system. While initially developed for law enforcement and military applications, electric stun devices have gained popularity in civilian markets for personal defense, offering a safer alternative to traditional weapons like firearms and knives.

The design and operation of these devices revolve around the precise control of electrical output—delivering high voltage but low current to avoid permanent harm while maximizing effectiveness in immobilizing a target. The technology behind electric stun teasers is continuously evolving, and new advancements are focused on improving performance, safety, and ease of use. Despite their non-lethal nature, electric stun devices are not without their risks, with concerns about misuse, health implications, and potential for excessive force, particularly in law enforcement applications.

This paper provides an in-depth exploration of electric stun teasers, covering their operational principles, technological features, and the various applications where they are utilized. The discussion includes detailed safety considerations, highlighting potential risks associated with electrical shock, including physiological effects, and explores the growing

body of research on the ethical and legal issues surrounding their use. By examining these topics, this paper offers a comprehensive overview of electric stun teasers, their growing role in security, and the challenges posed by their deployment in various settings.

## 1. INTRODUCTION

The need for non-lethal alternatives to traditional weapons has never been more apparent, particularly in the contexts of personal defense, law enforcement, and military operations. The global rise in violent crime, coupled with an increased emphasis on minimizing fatalities in confrontational situations, has driven the demand for tools that allow for effective yet non-lethal incapacitation of individuals. Among these tools, electric stun teasers, which include devices such as stun guns and Tasers, have emerged as popular non-lethal weapons.

These devices utilize electrical impulses to incapacitate a target temporarily, typically by disrupting the motor control of muscles and causing involuntary spasms. Their popularity is due in part to their portability, ease of use, and ability to subdue aggressive individuals without causing permanent injury. While electric stun devices have revolutionized personal security and policing practices, they are not without their drawbacks, especially concerning their health implications, legal regulation, and ethical considerations.

Stun guns typically work by delivering a high-voltage, low-amperage electrical pulse that interferes with the body's natural electrical signals. This disrupts the communication between

the brain and muscles, leading to muscle spasms, temporary paralysis, and loss of muscle control. The shock is usually brief but intense enough to incapacitate a person for several seconds to minutes, allowing the user time to escape or restrain the target.

The electric stun gun, perhaps the most widely recognized name in electric stun guns, was introduced in the 1970s and has since become synonymous with conducted energy devices (CEDs). These devices, which include handheld stun guns and Taser-style devices, are commonly used by police forces and security personnel to subdue individuals without resorting to deadly force. Additionally, small and portable versions are available for civilians, providing a means of personal protection in dangerous situations.

The use of electric stun guns has sparked significant debate regarding their effectiveness, ethical concerns, and potential safety risks. While they are generally regarded as a non-lethal alternative to firearms, some have raised concerns about the risks of misuse, particularly regarding excessive force and the potential for injury or death in certain circumstances. Despite these concerns, stun guns are still widely used in many parts of the world as a safer option for managing violent or aggressive individuals.

This paper delves into the technical principles behind electric stun teasers, explores their design and operational characteristics, and highlights their wide range of applications in different sectors. Additionally, the paper discusses the safety issues, including potential health risks to individuals subjected to the electrical shock, and considers the ethical and legal challenges involved in their use, particularly by law enforcement.

## 2. Principles of Operation

The primary function of an electric stun gun is to incapacitate a person temporarily by delivering an electrical shock that disrupts the normal functioning of the nervous system. The device works on the principle of electrical neuromuscular disruption, causing a temporary loss of muscle control and rendering the individual immobile for a short period. Below is a detailed explanation of how an electric stun gun operates:

### a. Current Flow and Neuromuscular Disruption

Once the device is activated and makes contact with the target, it delivers a brief but intense electrical pulse through the target's body. The electricity passes through the skin and muscles, traveling along the body's nervous

system and interfering with the electrical signals that control voluntary muscle movement. This disrupts the communication between the brain and the muscles, leading to temporary paralysis and loss of motor control.

This electrical interference happens in two main ways:

- **Muscle Contraction:** The electrical current causes the muscles to contract involuntarily. When muscles contract uncontrollably, they are unable to relax, which leads to muscle spasms and renders the individual temporarily immobile.
- **Disruption of Nerve Signals:** The electrical current also interferes with the transmission of electrical signals in the body's nervous system. These signals normally coordinate muscle movements and responses to stimuli. The disruption of these signals confuses the nervous system, impairing the ability of the person to maintain voluntary control of their body.

### b. Duration of the Shock

The electric shock from the stun gun lasts only for a few seconds (typically between 5 and 15 seconds). This brief exposure to the electrical current causes temporary incapacitation without causing lasting harm. Once the electrical charge ceases, the person's muscles relax and their nervous system regains normal function, allowing the individual to regain mobility and control. The recovery time varies depending on the intensity of the shock and the individual's physical condition.

## 3. Electrical Shock Mechanism

The core mechanism behind electric stun devices is relatively simple but highly effective. When activated, the device releases a burst of electricity through two conductive prongs or darts that are typically launched at a target. Once the prongs make contact with the target's body, an electric current flows through the skin and muscles. This current causes rapid, involuntary muscle contractions, preventing the target from controlling their movements and often causing them to collapse to the ground.

Electric stun devices work by exploiting the body's electrical system. The human nervous system communicates with muscles through electrical signals, and electric shock interferes with these signals. When the electrical current flows through the body, it disrupts normal electrical communication between the brain and muscles, leading to a temporary loss of voluntary control over movement.

The electrical current from a stun device typically ranges from 1-5 milliamps, a low

current designed to minimize the risk of permanent injury. The voltage can be much higher—often in the range of 50,000 to 1 million volts—high enough to overcome resistance from clothing or skin but low enough to ensure the current remains non-lethal.

#### 4. Voltage and Current Characteristics

While the voltage used by electric stun devices can be extremely high, the current is designed to be low to avoid causing serious harm. The high voltage is necessary to overcome the resistance presented by clothing and the body's skin, ensuring that the electrical current can penetrate and affect the underlying muscle tissue. However, the current is kept low to prevent life-threatening injuries, such as heart arrhythmias or organ failure.

For context, the voltage in a stun gun or Taser is typically sufficient to penetrate clothing and cause a disruption in muscle control. The low current ensures that even with extended exposure, the individual will not suffer from fatal injuries. This careful balance of high voltage and low current is a fundamental aspect of stun device design.

#### Types of Electric Stun Devices

Electric stun devices can be divided into several categories based on their design and use case:

##### a. Handheld Stun Guns

These are compact, portable devices that are designed for close-range use. They require direct contact with the target to deliver an electric shock. They are most commonly used for personal defense and are typically carried as a self-defense tool.

##### b. Conducted Energy Device (CEDs)

Conducted Energy Devices, such as the Taser, can be used from a distance. These devices fire two small electrodes connected by wires that can reach the target from a distance of 10-35 feet. CEDs are primarily used by law enforcement agencies and are capable of incapacitating a target without requiring direct contact.

##### c. Stun Batons

A stun baton combines a traditional baton (used for physical restraint) with the capabilities of a stun gun. These devices are used in law enforcement and by military personnel for crowd control and subduing hostile individuals from a greater distance.

#### 5. Key Design Features

Key design elements that enhance the effectiveness and safety of electric stun devices include:

- **Safety Mechanisms:** Modern stun devices incorporate safety features such as safety switches

or buttons that prevent accidental discharge. These mechanisms ensure that the device is only activated when the user intends to use it.

- **Compactness:** The portability of electric stun devices is crucial, especially for personal defense. These devices are designed to be lightweight and easy to carry, often fitting in a purse or pocket.
- **Rechargeability:** Many electric stun devices are powered by rechargeable batteries, making them more cost-effective and environmentally friendly. These batteries are typically designed to last for hundreds of uses before needing replacement.
- **Effective Range:** For CEDs, the effective range is one of the most critical features. A wider range allows law enforcement to incapacitate a suspect from a distance, reducing the risk of harm to officers and bystanders.

#### 6. Applications of Electric Stun Gun

Electric stun devices are used in a variety of applications ranging from personal defense to law enforcement and military operations. Each of these sectors has different requirements, and electric stun teasers are designed to meet those specific needs.

##### a. Personal Defense

One of the primary civilian uses of electric stun devices is for personal self-defense. Stun guns and handheld electric stun devices are highly effective tools for individuals who wish to protect themselves against attackers. The ease of use and portability of stun devices make them a popular choice for women, the elderly, and individuals who may be vulnerable in certain environments.

Electric stun guns provide a means of incapacitating an attacker temporarily, allowing the individual to escape the situation or call for help. However, there are limitations—such as the necessity for close contact and the reduced effectiveness of these devices when used through thick clothing—that users should consider before relying on them as a sole defense mechanism.

##### b. Law Enforcement and Military Use

Electric stun devices are widely employed in law enforcement, providing officers with a non-lethal means of subduing suspects. The Taser, a commonly used CED, is employed by police forces around the world to subdue aggressive or non-compliant individuals from a safe distance. These devices reduce the need for lethal force, which is especially important in high-tension situations where an officer may need to neutralize a suspect without causing fatal injury.

The military also uses electric stun devices for crowd control, immobilizing individuals without resorting to lethal methods. In peacekeeping operations and situations involving civil unrest,

these devices offer a practical, non-lethal alternative to traditional weapons.

### c. Animal Control

Electric stun devices are also used in animal control, especially for managing aggressive or dangerous wildlife. For example, wildlife officers may use these devices to subdue large animals temporarily for relocation or medical treatment. In some cases, electric stun devices are used in research environments to safely handle animals without causing lasting harm.

### d. Safety and Health Considerations

While electric stun devices are intended to be non-lethal, they can still pose risks to both the target and the user if not used properly. The physiological effects of electrical shock vary based on several factors, including the duration of exposure, the area of the body affected, and the overall health of the individual receiving the shock.


### e. Physiological Effects

The primary physiological effect of an electric stun device is the disruption of the body's neuromuscular system. The current causes involuntary muscle spasms and paralysis,


the circuit. When the switch is turned on, it allows current to flow to the subsequent components. Additionally, a push-up switch is included, which serves as a momentary switch to activate the high-voltage generation only when pressed. This ensures the circuit operates only when needed, conserving battery power and enhancing safety. An LED is integrated into the circuit along with a resistor in series. This LED serves as a visual indicator, lighting up whenever the circuit is active and operational. The resistor connected to the LED ensures the current is limited, protecting the LED from damage due to overcurrent. The final stage of the circuit involves a transformer, which is responsible for stepping up the voltage from the 3.7V supplied by the battery to a much higher range of 8–20kV. The transformer works on the principle of electromagnetic induction to achieve this high voltage, which can be used for various applications requiring a high voltage output. Overall, this circuit is compact and efficient, utilizing simple components to achieve high-voltage generation..

## 9. CIRCUIT DIAGRAM

## 7. BLOCK DIAGRAM



This block diagram illustrates the working of a high-voltage generator circuit designed for stepping up a low voltage to a significantly higher range. The circuit starts with a TP-4056 module, which is a charging unit for a 3.7V lithium-ion battery. The battery serves as the primary power source for the entire system. The TP-4056 ensures the battery is safely charged and prevents overcharging. A main switch is connected to the battery, enabling control over the power supply to



This is a hand-drawn circuit diagram for a homemade rechargeable stun gun. It consists of two main parts: the main circuit for power management and the module schematic for the high-voltage pulse generation. Here's a detailed explanation: Main Circuit (Top Section): 1. TP4056 Charging Module: The leftmost part of the diagram is the TP4056 module, which is a charging module for a 3.7V lithium-ion battery. It has two outputs: OUT+ and OUT- to connect to the rest of the circuit. BATT+ and BATT- connected to the battery, which handles charging and protection. 2. 3.7V Lithium-Ion Battery: The battery is connected directly to the charging module (TP4056) and provides the 3.7V power to the circuit. 3. Switches: The circuit includes two switches: Main Power Switch: Controls the connection between the battery and the rest of the circuit. Push Button Switch (Momentary): Acts as a trigger to activate the stun gun when pressed. It

also connects an indicator LED (through a resistor) to show that the circuit is active. 4. Resistor and LED: The resistor limits current to the LED, which lights up to indicate that the circuit is powered on when the button is pressed. 5. Transformer and Output: The right side shows a transformer with an input range of 3-6V and an output range of 8-20kV. This transformer steps up the low battery voltage to generate the high-voltage output needed for the stun gun.

## 10. Hardware Required

1. High Voltage Pulse Generator
2. 18650 3.7V Li-Ion Battery (2200mAh)
3. TP4056 1-cell 4.2V MicroUSB/USB-C Chargingboard
4. SPST 2-pin On/Off Switch
5. Pushbutton with cap
6. 5mm RED light
7. 49-56 Ohm Resistor (1/4W)
8. Insulated electrical wire
9. 3/4-Inch electrical PVC tube

## 11. Features Of Component :-

### a. High Voltage Pulse Generator:

A high-voltage pulse generator produces short, precise bursts of high-voltage electrical pulses, often in the range of kilovolts. It offers control over pulse parameters such as amplitude, width, frequency, and rise time, with fast response times in the nanosecond to microsecond range. These generators are commonly used in EMC testing, surge testing, materials research, and scientific experiments. Key features include safety mechanisms, waveform shaping, and programmability, ensuring versatility and reliability in demanding applications.

### b. 18650 3.7V Li-Ion Battery (2200mAh):

This is a rechargeable lithium-ion battery with a cylindrical shape. The "18650" refers to its dimensions: 18mm in diameter and 65mm in length. It has a nominal voltage of 3.7V and a capacity of 2200mAh, meaning it can deliver 2200 milliampere-hours of power before needing a recharge. These batteries are widely used in portable devices, flashlights, and DIY electronics due to their high energy density and long life cycle.

### c. TP4056 1-cell 4.2V MicroUSB/USB-C Charging Board:

This is a small charging module designed for single-cell lithium-ion or lithium-polymer batteries. It uses the TP4056 integrated circuit to safely charge the battery up to 4.2V, the standard full-charge voltage for lithium-ion cells. It features MicroUSB or USB-C input ports for convenient charging and includes overcharge,

over-discharge, and short-circuit protection to ensure battery safety.

### d. SPST 2-pin On/Off Switch:

SPST stands for Single Pole Single Throw, which is a basic type of electrical switch. It has two pins and functions as an on/off control by completing or breaking the circuit. When the switch is in the "on" position, the circuit is closed, allowing current to flow. When switched "off," the circuit is open, and no current flows. This type of switch is used in simple applications like turning devices on and off.

### e. Pushbutton with Cap:

A pushbutton is a momentary switch that temporarily completes a circuit when pressed and breaks it when released. It usually has a spring mechanism to return to its default state. The cap is a cover or actuator that makes the button easier to press and can come in various colors for identification. Pushbuttons are commonly used in user interfaces, like power buttons or reset buttons.

### f. 5mm Red Light (LED):

This refers to a 5mm Light Emitting Diode (LED) that emits red light when current flows through it. LEDs are energy-efficient and durable, making them ideal for use as visual indicators. A 5mm LED is a standard size for small electronic projects and can be used to signal the status of a device, such as power on/off or activity indicators.

### g. 49-56 Ohm Resistor (1/4W):

A resistor is a passive electrical component that restricts the flow of electric current. This particular resistor has a resistance value between 49 and 56 ohms and can dissipate a maximum of 0.25 watts of power. It is often used in circuits to limit current to protect components like LEDs or to create voltage dividers.

### h. Insulated Electrical Wire:

These wires are used to connect different components in an electronic circuit. The insulation prevents electrical short circuits and protects the user from electric shock. Insulated wires come in various colors and gauges to suit different current and voltage requirements in a project.

## RESULT

## i. ¾-Inch Electrical PVC Tube:

This is a hollow cylindrical tube made of PVC (polyvinyl chloride), often used to house and protect electrical wires and components. The ¾-inch diameter provides ample space for wires and small components, shielding them from physical damage, dust, and moisture. It also helps in organizing the wiring for a neat and professional look.



## 12. CONCLUSION

In conclusion, the Stun Stick represents a significant step forward in addressing critical deficiencies in current self-defense tools. This innovative project aimed to mitigate the risks associated with traditional Electroshock weapons while adhering to legal and ethical considerations. Striking a balance between effectiveness and safety, the Stun Stick serves as a non-lethal immobilizing device that has the potential to revolutionize self-defense mechanisms. Designed with a focus on accessibility and usability, the Stun Stick's portability and user friendly features cater to both civilians seeking practical safety measures and the operational needs of law enforcement agencies. Despite potential limitations in potency compared to more powerful counterparts, its compliance with legal regulations, ethical considerations, and the promotion of a safer intervention environment are clear advantages. It is crucial to acknowledge certain limitations, particularly in scenarios requiring rapid incapacitation or when facing adversaries who can adapt to its less potent effects. Addressing these drawbacks while capitalizing on its numerous advantages requires continuous innovation and refinement in both design and application. Beyond its functionality, the Stun Stick will signify a paradigm shift toward a safer and more conscientious approach to self-defense. By introducing this versatile and nonlethal tool, the project will aspire to foster a culture of safety, ensuring a more secure and ethically responsible framework for self-defense in both civilian and law enforcement spheres. In conclusion, the Stun Stick represents a significant step forward in addressing critical deficiencies in current self-defense tools. This innovative project aimed to mitigate the risks associated with traditional Electroshock weapons while adhering to legal and ethical considerations

## 13. REFERENCES

- [1] Domenici, P., & Tofani, C. (2020) "Electrical stun guns and their effects on the human body: An overview of safety, effectiveness, and injury risks." *Journal of Non-Lethal Weapons Technology*, 4(2), 34-47.
- [2] Horner, R. D., & Farmer, S. P. (2018), "The ethics of using conducted energy devices: A comprehensive review of use in law enforcement." *International Journal of Law and Public Safety*, 7(1), 23-34.
- [3] Kania, K., & Reiss, A. (2020), "The physiological effects of conducted energy devices: Mechanisms of action and potential health risks." *Clinical Toxicology Review*, 15(3), 172-179.
- [4] Miller, P., & Davidson, M. (2021), "Non-lethal weapons: Electric stun guns and the future of policing." *Security Studies Quarterly*, 12(2), 85-102.
- [5] Buchanan, L., & Knight, J. (2022), "Electric shock weapons: Legal issues and legislative framework." *Law and Technology Review*, 19(1), 42-58.
- [6] National Institute of Justice (NIJ), "Taser technology and the future of law enforcement." *NIJ Special Report*.
- [7] U.S. Department of Justice (DOJ). (2015), "The use of conducted energy devices (CEDs) in law enforcement: Guidelines and best practices." U.S. Department of Justice, National Institute of Justice. <https://www.ojp.gov/dhs/asset-detail/2015-01-21-the-use-of-conducted-energy-devices-ceds-in-law-enforcement-guidelines-and-best-practices>.