



INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

Crop Disease Detection Using Machine Learning

Prof. Deepali Joshi* – Assistant Professor, Department of Computer Science and Engineering (AIML), Bharat College of Engineering, Badlapur, Maharashtra, India.

Taqdees Golandaz, Huzaifa Quraishi, Huzaifa Dabir – Students, Department of Computer Science and Engineering (AIML), Bharat College of Engineering Badlapur, Thane District, Maharashtra, India.

Keywords: Agriculture, Plant, Crop, Disease, Farmers, Transfer Learning, Treatment, TensorFlow, Keras, Flask, Convolutional Neural Networks (CNN), Pooling layer, Deep learning, Image Segmentation, OpenCV, Google Widget.

Abstract : Crop conditions are a serious trouble to the world's agrarian productivity, despite the fact that husbandry is essential to both food product and profitable stability. In order to stop expansive damage and yield loss, early and precise complaint discovery is essential. Conventional ways depend on growers and agrarian specialists performing homemade examinations, which can be expensive suggested system uses Convolutional Neural Networks (CNNs) to classify factory ails. The model was trained and assessed using a dataset that included film land of both healthy and sick shops. After that, the system was made available as a web operation erected on Flask, which let growers input film land for opinion in real time. According to experimental results, the model outperforms conventional ways in relating and grading conditions with high delicacy. By offering an automated, affordable, and scalable system for early complaint discovery, this exploration advances perfection husbandry. The dataset may be expanded in the future, real- time field covering via IoT bias may be integrated, and the model's conception to other environmental circumstances may be bettered. growers may minimize crop losses and take prompt preventative action by enforcing an AI-driven strategy. time- consuming, and prone to mortal mistake.

INTRODUCTION

Agriculture plays a fundamental part in global food security and profitable stability. still, one of the most burning challenges faced by farmers worldwide is the early discovery and prevention of crop conditions. Factory conditions can be caused by various factors, including bacterial, fungal, and viral infections, which can swiftly spread across fields, leading to severe yield losses. Timely and accurate identification of these conditions is critical for effective crop operation and sustainable agricultural practices. Traditionally, crop complaint discovery has reckoned on manual examination by farmers or agricultural experts, which is time-consuming, labour-ferocious, and prone to mortal error. also, multitudinous small- scale farmers in pastoral areas warrant access to expert discussion, performing in belated opinion and infelicitous treatment. The incapacity to descry conditions in their early stages constantly leads to devilish use of pesticides, which not only increases product costs but also has adverse goods on the terrain and mortal health. With advancements in artificial intelligence and computer vision, machine knowledge- predicated results have surfaced as a promising approach for automating crop complaint discovery. Deep knowledge models, particularly Convolutional Neural Networks(CNNs), have shown remarkable success in image type tasks, making them

suitable for relating plant conditions from flake images. By training a deep knowledge model on a different dataset of healthy and diseased plant leaves, it's possible to develop a largely accurate, automated complaint discovery system. This disquisition presents a machine- knowledge- predicated crop complaint discovery system that leverages deep knowledge ways to classify various plant conditions using image data. The system employs a CNN model trained with Tensor Flow and Keras to recognize complaint patterns in plant leaves. The proposed result enables farmers to upload images of their crops through a web- predicated interface, which also processes the image and provides an accurate opinion. By integrating artificial intelligence with husbandry, this system aims to help farmers in taking timely precautionary measures, reducing yield losses, and promoting sustainable husbandry practices. The preceding sections of this paper bandy the methodology used in developing the model, the dataset and pre-processing ways, the model architecture and training process, evaluation criteria, and the deployment of the system as a web operation. also, the paper explores future advancements, analogous as incorporating real- time monitoring using IoT bias and expanding the dataset to meliorate model robustness.

Problem Statement

Crop Conditions significantly impact global husbandry, performing in reduced yields, fiscal losses for growers, and food security enterprises. Detecting these conditions beforehand is pivotal to minimizing damage and icing effective treatment. still, traditional styles calculate on homemade examination by agrarian experts, which can be very very slow, expensive, and impracticable for small- scale growers who warrant access to expert discussion. In numerous cases, the early symptoms of factory conditions are delicate to fete, leading to detainments in opinion and indecorous treatment. Environmental conditions similar as lighting, soil composition, and rainfall variations further complicate accurate identification, making homemade discovery unreliable in different husbandry surroundings. With advancements in artificial intelligence and deep literacy, there's implicit to produce an automated and scalable result for factory complaint discovery. still, being AI- grounded systems face several challenges, including limited dataset diversity, difficulty distinguishing between visually analogous conditions, and a lack of real- time deployment in practical agrarian settings. This exploration addresses these limitations by developing a deep literacy- powered crop complaint discovery system that provides presto, accurate, and accessible complaint opinion. By planting this result as a Beaker- grounded web operation, growers can fluently upload images of affected shops, admit instant complaint prognostications, and take timely preventative measures to reduce crop losses. This innovation enhances agricultural efficiency and sustainability and decision making. This system improves farming efficiency and proactive disease control.

PROPOSED IDEA

To address the challenges associated with traditional crop complaint discovery styles, this exploration proposes an AI- driven crop complaint discovery system that utilizes deep literacy ways for accurate and real-time opinion. The system is designed to dissect images of factory leaves, identify complaint patterns, and classify them consequently, furnishing growers with an effective and accessible tool for early complaint discovery. The core of this system is a Convolutional Neural Network (CNN) trained using a dataset of healthy and diseased factory images. The model processes splint images uploaded by druggies, excerpts crucial features, and predicts the presence of conditions with high delicacy. To make this result extensively accessible, a Beaker- grounded web operation has been developed, allowing growers to accessibly upload images and admit instant individual results. This real- time discovery system eliminates the reliance on expert evaluation and provides a cost-effective volition to homemade examination. unborn advancements may include integrating IoT- grounded monitoring, expanding the dataset to cover a wider range of crops and conditions, and optimizing the model for mobile operations to ameliorate availability for growers in remote areas. By using artificial intelligence in husbandry, this system aims to support perfection husbandry, reduce yield losses, and promote sustainable agrarian practices.

LITERATURE REVIEW

Deep knowledge and artificial intelligence(AI) in husbandry have drawn a lot of interest, especially in the area of crop complaint discovery. Experimenters have looked into a number of strategies to ameliorate automated complaint identification's efficacy and delicacy. Mohanty et al.(2016) showed that when trained on big datasets, deep convolutional neural networks(CNNs) can classify factory affections with over 90 percent, pressing the eventuality for AI to perfect complaint identification. also, Ferentinos(2018) carried

out a relative analysis between CNNs and conventional machine literacy ways, similar as Support Vector Machines(SVMs) and Decision Trees, and came to the conclusion that CNNs perform better than these models in terms of robustness and type delicacy. The capacity of AI models to serve successfully in a variety of environmental settings, similar as changes in illumination, flake texture, and background noise, has been eased by fresh developments in transfer knowledge and data addition. The significance of amount computing and IoT grounded detectors in perfecting real- time complaint monitoring has also been underscored by experimenters. growers can accept automatic complaint cautions by combining AI with IoT technology. This allows for prompt response and lowers product losses. Notwithstanding these developments, there are still issues with how well AI grounded complaint discovery systems work in practice. analogous problems including poor image input quality, a small variety of datasets, and the demand for real- time deployment on resource constrained bias continue to be pivotal areas for development. This discussion expands on former exploration by creating a scalable, effective, and planter-accessible crop complaint chancing system driven by AI. This conception seeks to give accurate, cost-effective, and real- time complaint opinions by exercising deep knowledge styles and establishing a Demitasse- grounded online operation. This will eventually ameliorate agrarian affair and encourage sustainable husbandry practices.

METHODOLOGY

The crop complaint discovery system was developed following a regular methodology to insure accurate and effective complaint type. The approach includes data collection, pre-processing, model selection and training, evaluation, and deployment of the project.

Data collection:

The success of any deep knowledge model relies heavily on the quality and volume of the dataset. For this study, a high- quality dataset was attained from Plant Village, a vastly honoured depository containing images of healthy and diseased factory leaves. The dataset includes multiple crop types, similar as tomatoes, potatoes, and sludge, covering colourful complaint orders like bacterial, fungal, and viral infections. The diversity of the dataset helps ameliorate the model's capability to generalize across different factory species and complaint conditions.

Pre-processing of data:

The gathered prints passed a number of pre-processing way to ameliorate model performance and meliorate type delicacy. In order to insure thickness during model training, all prints were first gauged to a constant resolution of 224×224 pixels. In order to grease briskly confluence during training, hand pixel values between 0 and 1 were regularized. also, the dataset was instinctively expanded using data addition ways similar gyration, flipping, and distinction adaption, which dropped overfitting and bettered the adaptability of the model. Unwanted deformations were also counted using noise reduction ways, performing in a clearer and more precise/accurate feature selection of birth point of the project model.

Model selection and training:

A Convolutional Neural Network(CNN) was chosen for its effectiveness in image type tasks. The CNN model consists of multiple layers, including convolutional layers for point birth, pooling layers for dimensionality reduction, and completely connected layers for type. The Adam optimizer was used to enhance knowledge effectiveness, while the categorical cross- entropy loss function was applied formulti- class type. The model was trained for 50 ages to optimize delicacy and capabilities effectively.

Model evaluation:

The performance of the trained model was estimated using vital criteria similar as delicacy, perfection, recall, and F1- score. A confusion matrix was generated to dissect type crimes and identify areas for enhancement. The model demonstrated high delicacy in classifying different factory conditions, with minimum misclassifications in cases where conditions had visually analogous or much more similar symptoms.


System deployment:

To make the system accessible and practical for end addicts, a Beaker- rested web operation was developed. This web interface allows addicts, including growers and agrarian professionals, to upload images of affected shops and admit real- time complaint discovery results. The system was posted on pall platforms, icing global vacuity, scalability, and real- time processing capabilities and more interesting features. By integrating deep knowledge, pall deployment, and a stoner-friendly web operation, this system provides an effective, scalable, and cost-effective effective result for early crop complaint discovery, eventually helping growers take timely preventative measures to reduce yield losses.

CNN Model Architecture

In this design, we used Convolutional Neural Networks (CNNs) to descry conditions in crops grounded on splint images. CNNs are a type of deep literacy model designed specifically for recycling images, making them ideal for relating factory conditions by assaying visual patterns. How CNN Works in Our design When a planter uploads an image of a splint, our CNN model goes through several way to determine whether the splint is healthy or affected by a complaint.


1. point birth – The model looks at different corridor of the image to descry crucial features like unusual spots, abrasion, or texture changes.
2. Convolutional Layers – These layers use small pollutants to check-up the image and pick out important details, analogous to how the mortal eye recognizes patterns.
3. Pooling Layers – The model simplifies the image data while keeping the important features, making the system more effective.
4. Completely Connected Layers – After rooting features, these layers classify the image into different complaint orders grounded on the learned patterns.
5. Activation Functions – We use ReLU(remedied Linear Unit) to ameliorate literacy and Softmax to classify the final affair.



Performance and Training

A dataset from Plant Village, which includes hundreds of prints of both healthy and sick artificial leaves, was

used to train our CNN model. We employed picture addition(flipping, rotating, and conforming brilliance) to ameliorate the model's delicacy by enabling it to learn from a variety of image kinds. The model got 93.5 delicacy on test filmland after 50 rounds(periods) of training. This means that in the maturity of cases, it can directly identify crop conditions, aiding farmers in taking action before the complaint spreads.



RESULTS AND DISCUSSION

The crop complaint discovery model showed high delicacy in relating and classifying different plant conditions, achieving an overall delicacy of 93.5 on the test dataset. This performance indicates the model's effectiveness in differentiating between healthy and diseased crops. The system's responsibility in real world operations was supported by the perfection and recall scores for various complaint orders remaining above 90.

However, some misclassifications were observed, especially between conditions with similar symptoms, such as bacterial and fungal infections. These challenges were revealed by a confusion matrix analysis, which suggested that improving pre-processing methods and expanding the dataset could further improve performance. CNNs automatically prize applicable features from images, barring the need for manual point engineering and enhancing type speed. This makes the system more accurate and effective for real- time complaint discovery.

The Beaker- predicated web operation was tested with implicit stoners, including farmers and agricultural professionals, and was set up to be user-friendly and responsive. The system handed instant complaint discovery results, making it a practical and accessible tool for agricultural complaint opinion. still, some challenges were linked, including language vacuity and need for mobile-friendly interpretation to meliorate usability in the pastoral areas.

Despite its high delicacy, the system still faces challenges related to image quality and environmental factors analogous as lighting conditions and background noise, which sometimes led to incorrect groups. also, the model is presently limited to a specific set of crop conditions. Expanding the dataset to include a broader range of plant species and complaint types would significantly meliorate its accuracy, efficiency and the connection.

To address these challenges, future advancements will concentrate on perfecting the dataset with real- time field images, integrating IoT- predicated smart husbandry technologies, and optimizing the model for deployment on mobile and edge computing bias. By administering these advancements, the crop complaint discovery system can come an indeed more reliable and scalable tool for perfection husbandry, enabling farmers to take visionary measures to cover their crops, reduce losses and enhance their agricultural productivity.




Fig 1. Home Page: Our project has the simplest UIs, you can find Upload and Clicking photos. Any JPG, PNG and other high efficiency formats are also available. Any plant images you find interesting and want to know more, data available here.




Fig 2.

Analysing : The second stage is analysing stage, once a image uploaded a minor fewer wait will take you to next page.




Fig 3. Disease details: A few seconds of wait will land you to the disease details. This will guide you with disease overview, solution, preventive measure, watering needs, etc.




Fig 4. Common crop diseases: Also other crop diseases are available on the website, you can read them and learn about the diseases.

CONCLUSION AND FUTURE SCOPE

The Crop complaint Discovery design successfully applies Machine Learning and Deep Learning ways to automate the identification of plant conditions. By exercising Tensor Flow and Keras for model training and Teacup for deployment, the system provides real time, accurate complaint prognostications.

The integration of result plates enhances interpretability, allowing growers to fantasize and understand detected conditions. This design plays a pivotal part in perfection husbandry, helping growers make informed opinions, take timely preventative measures, and ameliorate crop health and productivity. still, the delicacy and effectiveness of the model depend on dataset quality, point selection, and pre-processing ways, making it essential to use high-quality quality labelled images for training. The design has

significant eventuality for expansion, with several advancements that can meliorate its usability, effectiveness, effectiveness and scalability

1. Integration with IoT bias – Using IoT- enabled cameras and sensors in ranches to capture real-time images and descry conditions automatically, reducing reliance on homemade intervention and mortal error.
2. Development of smartphone operations Creating an intuitive smartphone operation that enables growers to take and upload film land of their crops, easing the immediate identification of complaints and furnishing real- time treatment recommendations that increase efficacy.
3. Language Vacuity offering a variety of language choices to ameliorate the system's availability and inclusivity for growers from colourful geographical areas, easing better handover and stoner-benevolence while enhancing inflexibility and efficacy.
4. Self- Learning Model Updates – enforcing bus training mechanisms that allow the model to learn from recently uploaded images, perfecting delicacy over time. also, this adaptive process will upgrade the system's performance, icing optimal discovery as new crop complaint variations crop, boosting accuracy and scalability.
5. Integration with Weather and Soil Data This improves complaint prevention ways and increases delicacy by combining complaint prophecy with environmental rudiments including temperature.
6. AI- Driven Precision Farming Developing the system to come a significant AI- grounded perfection husbandry outgrowth, this approach helps directors increase product by maximizing yield and minimizing losses brought on by plant conditions.
7. pall- Grounded Disease opinion – enforcing pall computing to store and dissect large- scale crop complaint data, allowing real- time collaboration between growers, agrarian experts, and experimenters for better complaint operation.
8. Edge Computing for Faster prognostications –Planting the model on edge bias like drones and smart husbandry outfit to enable real- time, on- field complaint discovery without taking nonstop internet connectivity, ensuring speed.

By enforcing these advancements, the Crop Disease Detection system can come an advanced, real- time decision- making tool for ultramodern husbandry, enabling growers to ameliorate productivity, minimize crop losses, and contribute to sustainable husbandry practices.

ACKNOWLEDGMENT

We'd like to undesignedly thank Prof. Deepali Joshi for her unvarying support, inestimable advice, and perceptive recommendations during our disquisition. Her goad has handed us with a lot of provocation. We're also thankful to Bharat College of Engineering, Badlapur, for furnishing us with the finances and a probative literacy terrain that allowed us to apply our conception. also, we appreciate the support and feedback from our faculty members and classmates, which helped us upgrade our work. originally, we're deeply thankful to our families and musketeers for their unvarying stimulant and belief in us. Their support has been our biggest strength throughout this trip.

REFERENCES

1. M. Smith, Deep Learning for Agricultural Applications, Journal of AI Research, 2022.
2. A. Kumar, "Plant Disease Detection Using Machine Learning," International Conference on AI, 2021.
3. S. P. Mohanty, D. P. Hughes, and M. Salathé, "Using Deep Learning for Image-Based Plant Disease Detection," Frontiers in Plant Science, vol. 7, p. 1419, 2016
4. K. P. Ferentinos, "Deep Learning Models for Plant Disease Detection and Diagnosis," Computers and Electronics in Agriculture, vol. 145, pp. 311–318, 2018.
5. E. C. Too, Y. Liu, S. Njuki, and Y. Liu, "A Comparative Study of Fine-Tuning Deep Learning Models for Plant Disease Identification," Computers and Electronics in Agriculture, vol. 161, pp. 272–279, 2019.

6. S, Sladojevic, M. Arsenovic, A. Anderla, D. Culibrk, and D. Stefanovic, "Deep Neural Networks-Based Recognition of Plant Diseases by Leaf Image Classification," Computational Intelligence and Neuroscience, vol. 2016, pp. 1–11, 2016.
7. J. Lee, H. Kim, and Y. Park, "A Survey on Deep Learning-Based Plant Disease Detection," IEEE Access, vol. 10, pp. 75816–75833, 2022.
8. R. Patel, "Machine Learning Approaches for Crop Disease Detection," Agricultural Data Science Journal, vol. 5, pp. 45–50, 2020

