



INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJERT)

An International Open Access, Peer-reviewed, Refereed Journal

Breast Cancer Detection For Mri Images Using Deep Learning

1ANUSHA R K, 2NAYANA K N, 3SOPHIA ANTONY N, 4GEETHA K 5 Dr A M PRASANNA KUMAR

1Department of Electronics and Communication Engineering , 2Department of Electronics and Communication Engineering , 3Department of Electronics and Communication Engineering , 4Department of Electronics and Communication Engineering, 5Department of Electronics and Communication Engineering

1RajaRajeswari College of Engineering Bangalore, India ,

2RajaRajeswari College of Engineering Bangalore, India,

3RajaRajeswari College of Engineering Bangalore, India ,

4RajaRajeswari College of Engineering Bangalore, India,

5RajaRajeshwari college of Engineering Bangalore, India

Abstract— Early diagnosis is essential for treating and surviving breast cancer, one of the most common cancers. MRI scans are used to construct a machine learning-based breast cancer prediction method. Malignant or healthy. The Python Flask web app has an easy-to-use UI. Users can upload MRI images via a web browser, and the system processes these images through the trained model to generate predictions. The interface includes a navigation bar, a file upload feature with an image preview option, and displays results dynamically. The output is visually highlighted. Healthy predictions are shown in green, while Malignant predictions are displayed in red. Modern medical professionals and academics may now make use of state-of-the-art machine learning algorithms thanks to this intuitive technology. Scalable, easily accessible, and highly effective diagnostic tools may be created by combining deep learning models with web apps, as shown in this study.

Keywords—MRI Image, Deep Learning, Healthy and Malignant, VGG16, Python Flask,

I. INTRODUCTION

The diagnosis of breast cancer represents the leading cause of female mortality yet successful early detection enables more effective treatments and higher survival possibilities.

MRI stands as a diagnostic technology that creates full breast tissue images enabling medical staff to discover potential issues effectively. MRI image interpretation becomes difficult due to its complexity and it requires extensive time for evaluation thus potentially postponing diagnosis.

With VGG16 CNN the method functions to categorize MRI images between normal and cancerous tissues after fine-tuning. A Python Flask web application includes the implemented learnt model to allow simple predictions. The web interface delivers an improved user experience by organizing information into a simple design which features both image upload tools that display previews and automatic results presentation. Through this approach doctors will receive accurate forecasts in a shorter time which enables them to make educated clinical decisions. This research utilizes advanced AI algorithms and web-based implementation to show how artificial intelligence enhances breast cancer detection capabilities. Our aim is to enhance breast cancer patient results through research in deep learning analysis of medical images. Breast cancer MRI diagnosis requires highly precise and efficient key solutions. The manual reading method used by radiologists proves lengthy and operational errors happen frequently yet computer-aided detection platforms lack ability to spot microscopic lesions. The use of these advanced techniques

allows researchers to create automated breast cancer detection systems which detect MRI image lesions with precision and minimizes false negative identification for better results. Through deep learning-based systems radiologists would achieve accurate diagnosis and reduce their interpretation time while helping diagnosis efforts in settings with limited resources.

THE OBJECTIVES OF THE PROPOSED SYSTEM:

Develop an Automated Breast Cancer Detection System: Classify MRI images into healthy and malignant using a deep learning model utilising the VGG16 architecture with good accuracy and reliability.

Build an easy Python Flask online application that lets users submit MRI images, preview them, and get real-time predictions with a visually attractive and responsive interface.

Enhance Early Diagnosis Efficiency: Make sure breast cancer is detected quickly and consistently by giving doctors a tool that helps them analyse MRI images more quickly and easily.

II. MATERIALS AND METHODOLOGY




Fig.1.Datasets

The methodology for the proposed breast cancer prediction system involves several key steps, integrating machine learning, deep learning, and web application development to provide a seamless and efficient diagnostic solution.

Deep Learning

Deep Learning techniques have achieved extraordinary recognition accuracy levels. VIT and Graphware form an essential core for autonomous vehicles and improve the quality of products for consumers. Deep Learning techniques have recently surpassed human capacity to detect objects in photographic images.

Key features of the VGG16 architecture:

1. **Architecture:** Among its layers VGG16 consists of 16 convolutions together with 3 completely coupled layers. A ReLU activation function along with a max-pooling layer get added between each pair of convolution layers. The last layers are completely connected because they perform classification operations.
2. **Deep Network:** Among its layers VGG16 consists of 16 convolutions together with 3 completely coupled layers. A ReLU activation function along with a max-pooling layer get added between each pair of convolution layers. The last layers are completely connected because they perform classification operations.
3. **Small Convolution Filters:** The VGG16 model contains 3x3 convolution filters that operate with a stride of 1 while employing same padding configuration. The small filter size in VGG16 enables the network to achieve greater functionality with low parameter requirements.
4. **Max Pooling Layers:** VGG16 adds 2x2 max-pooling layers with a stride of 2 after each convolution layer. Max pooling reduces feature map spatial dimensions while keeping key information.
5. **Fully Connected Layers:** The VGG16 model completes its high-level classification functions by utilizing fully integrated layers from the convolution layers.
6. **Activation Function:** By applying the Rectified Linear Unit (ReLU) activation function the model learns complex input-output relations across its network structure.
7. **Pretrained Models:** It is possible to get pre-trained VGG16 models that have been used for large-scale picture categorisation tasks, such as ImageNet. These pretrained models can be fine-tuned on specific datasets or used as feature extractors for transfer learning.
8. **Transfer Learning:** VGG16 serves as a typical choice for transfer learning because it delivers high performance alongside pre-trained model availability. The learned representations obtained from VGG16 models enable researchers and practitioners to reapply them to any specific task while training them with minimal available task-specific data.

VGG16 is a popular convolutional neural network design for image categorisation due to its simplicity, efficacy, and performance.

A style sheet language named Cascading Style Sheets (CSS) serves to format HTML documents. All Web foundations include HTML and JavaScript alongside CSS.

Through style sheets (CSS) users can achieve content independence from presentation features such as layout and colors and fonts. To achieve shared formatting for web pages developers can define necessary CSS rules in an independent .css file that enhances accessibility levels while increasing display control capabilities and decreasing content structural patterns.

The layout separation from content in HTML pages allows

multi-version display on diverse devices that use text-based reading systems as well as touch input and audio interpretation and print. Mobile-friendly style guidelines apply different formats to their code.

Element selection with the priority approach results in cascading because multiple style rules match an element. Such priority sequences are naturally expected to occur.

Various Programming Languages including XHTML and plain XML and SVG and XUL among others support the implementation of Style Sheets (CSS).

The approach is outlined as follows:

1. Dataset Collection and Pre-processing:

Collect healthy and malignant breast tissue MRIs. Resize, normalise, and supplement images to increase model resilience. Divide the dataset into training, validation, and testing sets for balanced model assessment.

2. Model Development and Training:

Utilize the VGG16 convolutional neural network, a pre-trained deep learning model, and fine-tune it for the classification task. Replace the final layers of VGG16 with custom fully connected layers tailored to binary classification. Utilise the training dataset to train the model, minimising overfitting using approaches like data augmentation and dropout. Verify how well the model performed on the validation set and make any necessary adjustments to the hyper parameters.

3. Backend Integration and Prediction Workflow:

Implement the trained VGG16 model in the Flask application backend to handle image processing and prediction. Upon image submission, process the input image, perform the prediction using the model, and return the result. Display the result dynamically on the same page, with Healthy results shown in green and Malignant results in red.

4. Deployment and Testing:

Deploy the Flask application on a suitable web server for accessibility .Conduct extensive testing with various MRI images to validate system performance and ensure robustness .Gather user feedback for further refinement of the interface and functionality.

III. BLOCK DIAGRAM OF PROPOSED SYSTEM




Fig.2.Block Diagram of Proposed System

Architecture diagramming is the process of creating visual representations of software system components.

In a software system, the term *architecture* refers to various functions, their implementations, and their interactions with each other.

As software is inherently abstract, architecture diagrams visually illustrate the various data movements within the system.

They also highlight how the software interacts with the environment around it.

Architecture: After three fully linked layers, VGG16 has sixteen convolutional layers. An activation function called ReLU and a max-pooling layer are introduced after every convolutional layer. Classification employs fully connected layers in the end.

Deep Network: VGG16 is a deep neural network architecture, with 16 weight layers (13 convolutional layers and 3 fully connected layers), hence the name "VGG16".

Small Convolutional Filters: VGG16 mostly employs 3x3 convolutional filters with 1 stride and similar padding. These modest filters let the network learn more complicated characteristics with fewer parameters.

Max Pooling Layers: VGG16 uses max-pooling layers with a 2x2 window and stride of 2 after each convolutional layer. Max pooling reduces feature map spatial dimensions while keeping key information.

Fully Connected Layers: The last three layers of VGG16 are fully connected layers, which are responsible for performing high-level reasoning and classification based on the features extracted by the convolutional layers.

Activation Function: Throughout the network, the Rectified Linear Unit (ReLU) activation function is used to introduce non-linearity, allowing the model to learn complex mappings between input and output.

1. Data Preprocessing:

- Import and preprocess ultrasound images, including reducing them to a consistent size, normalising pixel values, and maybe using data augmentation methods like rotation, flipping, and scaling to boost dataset variety and model generalisation.

2. Model Selection:

- To classify breast cancer, use the VGG16 convolutional neural network architecture. VGG16's deep design and shown performance on several datasets make it an ideal candidate for image classification jobs.

3. Transfer Learning:

- Initialize the VGG16 model with pre-trained weights on large-scale image datasets. By leveraging pre-trained weights, the model can capture generic image features, which can then be fine-tuned on your specific breast cancer.

4. Model Fine-Tuning:

- Fine-tune the pre-trained VGG16 model on your breast cancer dataset. This involves updating the weights of the model's layers using back propagation while minimizing a classification loss function (e.g., categorical cross-entropy).

5. Training:

- Divide the dataset into training, validation, and test. Train the VGG16 model on the training set and assess performance using the validation set to avoid overfitting. Optimisation algorithms like Adam, SGD, learning rates, and regularisation methods like dropout may improve model performance.

6. Evaluation:

- Test the trained model's classification performance on the test set. Find measures to evaluate the model's capability to distinguish between normal, abnormal, and cancerous

ultrasound image.

7. Fine-Tuning and Hyperparameter Tuning:

- To improve model performance, try alternative hyperparameters including fine-tuning layers, learning rates, batch sizes, and dropout rates. Use grid or random search to effectively explore hyperparameter space.

8. Model Deployment:

- After testing, utilise the model. A software program or healthcare system that processes ultrasound images and provides automated breast cancer categorisation findings to healthcare practitioners may integrate the trained model.

MRI IMAGES

Endpoint detection for breast cancer within an MRI setting requires both high accuracy along with effective workflow capabilities.

Small lesions remain undetectable to traditional computer-aided detection technologies because their detection capabilities fall short. Similarly manual radiological identification of lesions demands extended periods of time along with the potential for detection mistakes.

The strong point of CNNs lies in their ability to determine image categories and find objects in pictures.

Automated breast cancer systems can determine MRI image lesions precisely through these techniques which benefits patient treatment outcomes while decreasing diagnosis errors.

Radiologists: Deep learning systems benefit radiologists through different aspects which include correct diagnostic assistance and simplified image interpretation while improving accessibility to quality diagnosis for areas lacking medical resources.



Fig.3.Flowchart of the Proposed System

Key features of the VGG16 architecture:

Architecture: VGG16 contains 16 variables (hence "16"). It has max-pooling, 13 convolutional, and 3 fully connected layers II, III, IV, V, VI, &.

Convolutional Layers: Applies 1 stride to 3x3 filters. The application of two-by-two max-pooling layers with a two-step stride maintains essential features while reducing spatial dimensions in the network.

Fully Connected Layers: A completely linked set of layers follows, and then a categorisation Soft Max layer.

Input: Accepts images of size 224x224x3 (height, width, and 3 colour channels for RGB).

Pretraining: VGG16 is often pretrained on large datasets like Image Net, making it a popular choice for transfer learning

Save mode: Save Mode could refer to a feature where progress is stored (e.g., auto save) or a mode where saving is emphasized to avoid data loss.

Functional Requirements:

Image Upload: The system should allow users to browse and upload MRI images for classification. The image file should be in a supported format (e.g., JPEG, PNG).

Image Preview: Once an image is selected, the system should display a preview of the image before submission..

Model Prediction: Upon submission of the image, the system should process the image using the trained VGG16 model and

return a classification result (either Healthy or Malignant).

Dynamic Result Display: The result should be displayed dynamically on the same page after image submission. The prediction should be color-coded (green for Healthy, red for Malignant) for easy interpretation.

Navigation and User Interface: The web application should have a top navigation bar with the header "Breast Cancer Prediction Using MRI Images" and a clean, easy-to-navigate layout.

Error Handling: For incorrect file formats, empty uploads, and model processing failures, the system should gently manage them and provide the user feedback.

Responsive Design: The web application should be mobile-friendly and responsive, ensuring it works well on a variety of devices (e.g., desktops, tablets, smart phones).

IV. ACCURACY




Fig.4.Accuracy Graph

Accuracy table

Sl.NO	AUTHOR	TITLE OF THE PROJECT AND YEAR	ACCURACY
1	Swati Nadkari, Kevin Noronha	Breast Cancer detection with multiparametric Magnetic Resonance Imaging using Deep Learning (2023)	95%
2	Abu taib and Qassim	A novel deep learning model for breast cancer detection: Deep breast cancer Net. (2023)	92%
3	Mohammed Rasheed and Basem.S	Breast cancer detection using neural networks (2022)	90%
4	Priya EV and VG biju	Deep learning for Breast cancer detection in histopathology images (2020)	87%
5	Jose manuel and Maria del	Breast cancer detection by artificial neural networks (2022)	83%

6	M. Raghu, G. Zhang, J. Kleinberg, and S. Bengio	Breast Cancer Detected with Screening US: Reasons for Non detection at Mammography	80%
7	D. Wang and A. Khosla	Detecting Metastatic Breast Cancer using Deep Learning	77%

V. RESULTS AND DISCUSSION

Breast cancer is one of the leading causes of cancer-related deaths among women worldwide. Correct diagnosis and early discovery are essential for successful therapy and better survival. Due to its great sensitivity and capacity to image breast tissues without ionising radiation, Magnetic Resonance Imaging (MRI) is a strong breast cancer diagnostic technique. Breast cancer diagnosis has been revolutionised by recent advancements in medical imaging and deep learning. Deep learning automates the process of learning and attribute extraction from data by use of neural networks. These algorithms generally outperform standard approaches in recognising medical image patterns and abnormalities.

Output:



Fig.5.Output of the Proposed System

VI. CONCLUSION

The proposed Breast Cancer Prediction System using MRI Images effectively combines deep learning and web application development to provide an automated, accurate, and efficient solution for diagnosing breast cancer. By leveraging the power of the VGG16 convolution neural network, the system can classify MRI images as Healthy or Malignant, supporting healthcare professionals in early

diagnosis and improving patient care. The web-based application offers a user-friendly interface that simplifies the process of image upload, real-time result display, and ease of navigation. This system not only reduces the dependency on manual interpretation of MRI scans but also ensures fast and consistent results, which is essential for timely medical intervention. With the integration of machine learning and a responsive design, the system is scalable, maintainable, and secure, making it an ideal solution for clinics and hospitals. Ultimately, this system has the potential to revolutionize the diagnostic process, helping to save lives by enabling faster and more accurate detection of breast cancer.

VII. FUTURE SCOPE

Advanced AI Models Next-generation deep learning models like 3D Convolution Neural Networks (3D-CNNs), Vision Transformers, and attention-based models will improve the sensitivity and specificity of breast cancer detection. **Reduction in False Positives/Negatives** Future models will be more capable of distinguishing between benign and malignant tumours, significantly reducing false positives and false negatives. **Multimodal Integration** Integrating MRI with other imaging modalities (like mammography, PET, and ultrasound) using deep learning fusion models will provide a more comprehensive and accurate diagnosis. **Personalized Risk Assessment** Deep learning models can analyze a patient's MRI history, genetic profile, and lifestyle factors to provide personalized risk predictions for breast cancer. **Predicting Treatment Response** Future AI models will use MRI image attributes to predict patient responses to chemotherapy and radiation, allowing personalised treatment planning. **Molecular Subtype Classification** MRI images and deep learning will categorise breast cancer subtypes like HER2-positive and triple-negative, enabling tailored treatments.

VIII. REFERENCES

- M. S. Bae et al., "Breast Cancer Detected with Screening US: Reasons for Nondetection at Mammography," *Radiology*, vol. 270, no. 2, pp. 369-377, 2013.
- D. Wang and A. Khosla, "Deep Learning for Identifying Metastatic Breast Cancer," pp. 1-6, 2016.
- S. K. M. Hamouda, R. H. A. El-ezz, and M. E. Wahed, "iMedPub Journals Enhancement Accuracy of Breast Tumor Diagnosis in Digital Mammograms Keywords," pp. 1-8, 2017.
- W. Xie, Y. Li, and Y. Ma, "Neurocomputing Breast mass classification in digital mammography based on extreme learning machine," *Neurocomputing*, vol. 173, pp. 930-941, 2016.
- N. Dhungel, G. Carneiro, and A. P. Bradley, "Automated Mass Detection in Mammograms using Cascaded Deep Learning and Random Forests," pp. 1-8, 2015.
- D. Be-droid, R. Platanis, K. Lee, and S. Park, "Automated Breast Cancer Diagnosis Using Deep

Learning and Region of Interest Detection (BC-DR@ID)," pp. 536-543, 2017