



INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

Smart Farming System: Crop Recommendation, Disease Detection, And Market Recommendation Using AI

¹Prathamesh Pandule, ²Priyanka Gaikwad, ³Vishal Shirsath, ⁴Yash Yeola,

⁵Prof. Abhijit S. Shinde.

^{[1][2][3][4]} Student, Department Of Information Technology, Sinhgad College Of Engineering, Pune.

^[5] Assistant Professor, Department Of Information Technology, Sinhgad College Of Engineering, Pune.

Abstract: This venture offers an inventive, information driven answer for help rural efficiency. By coordinating AI models, it gives exact proposals to trim choice, illness location, and government plans. Key elements incorporate harvest forecast in light of soil quality and atmospheric conditions, as well as early illness location through cutting edge picture handling. Furthermore, ranchers get commercial center ideas. This task engages ranchers with noteworthy bits of knowledge, advancing feasible horticulture, lessening chances, and upgrading productivity. In this paper we are three unique calculations for location of soil type, proposals of harvests, pesticides for crop illness utilizing convolutional brain organization and for recommending the business data utilizing k closest area model.

Keywords- Crop Selection, Disease Detection, Crop Prediction, Sustainable Agriculture.

I. INTRODUCTION

Lately, the worldwide horticultural area has wrestled with mounting difficulties coming from environmental change, soil debasement, and moving irritation elements, all of which have significant ramifications for food security and rancher vocations. As the interest for supportable cultivating rehearses heightens, there is a rising requirement for creative, information driven arrangements that can help ranchers in going with very much educated choices in regard to trim determination and the executives. The Yield Proposal Framework represents a critical innovative progression, tending to these difficulties by coordinating complex information investigation and AI procedures. By utilizing different information data sources, for example, soil pictures, climatic circumstances, and water accessibility, the framework gives ranchers customized proposals on ideal yield decisions. Through the use of Convolutional Brain Organizations (CNN) for soil picture examination, the framework precisely orders soil types for recognizing appropriate harvests. Furthermore, the framework represents occasional changes and water assets, empowering exact expectations of harvest yield potential. These bits of knowledge engage ranchers to upgrade efficiency while advancing reasonable asset the executives. Besides, the framework utilizes progressed calculations for Harvest Location, using CNNs to dissect crop pictures for early indications of sickness. By giving convenient recognition and significant proposals, it helps with diminishing harvest misfortunes and supporting yield advancement. Supplementing these elements, the

Harvest Proposal Framework likewise addresses financial variables by utilizing the K-Nearest Neighbors (KNN) calculation to anticipate market costs. This empowers ranchers to design their deals all the more decisively by dissecting authentic cost patterns, prompting better monetary results. In total, the Yield Suggestion Framework remains as a complete device, saddling state of the art innovation to raise horticultural practices. It conveys information driven suggestions for crop determination, illness the executives, and market valuing, adding to upgraded horticultural efficiency, monetary supportability, and versatility against natural afflictions.

1.1 Motivation

Horticulture is the foundation of numerous economies, however ranchers frequently battle to pursue informed choices because of capricious variables like soil wellbeing, water accessibility, market unpredictability, and irritation episodes. The fast headways in AI and computer based intelligence offer an extraordinary chance to address these difficulties in a more orderly, information driven way.

1.2 Problem Definition

In the agrarian area, ranchers regularly experience difficulties in choosing the most proper harvests for development, as their decisions are impacted by a few factors, for example, soil type, occasional varieties, water accessibility, and fluctuating business sector interest. Mistaken crop choice can prompt decreased yields and monetary misfortunes. Also, ranchers battle with opportune distinguishing proof of harvest illnesses and the choice of appropriate pesticides, which frequently brings about huge yield harm and decreased efficiency. One more basic issue is the failure of ranchers to associate with important businesses and markets for selling their produce, which influences their benefit and market reach.

II. LITERATURE SURVEY

Ersin Elbasi et al. [1] recommended that the analyzing sweeping data assembled from ranchers, uniting on the web IoT sensor data that were gotten in a constant manner, ranchers can come to additional informed conclusions about factors that impact crop improvement. Over the long haul, organizing these advances can change current agribusiness by extending crop yields while restricting waste. Fifteen particular computations have been considered to survey the most reasonable estimations to use in cultivation, and another component blend scheme further developed computation is presented. The results exhibit the way that maker can achieve a request precision of 99.59% using the Bayes Net estimation and 99.46% using Unsuspecting Bayes Classifier and Hoeffding Tree computations.

Kavita Jhaharia et al. [2] expressed that executed different simulated intelligence methods to evaluate the reaped yield in Rajasthan region of India on five perceived crops. The results exhibit that among all of the applied computations; Unpredictable Forest area, SVM, Slant Plunge, long passing memory, and Rope backslide methodologies; the erratic forest performed better contrasted with others with 0.963 R², 0.035 RMSE, and 0.0251 MAE. The results were endorsed using R², root mean squared botch, and the mean altogether bumble to cross-endorsement systems.

Hamzah et al. [3] recommended that a shrewd technique to address soil gathering via doing a significant learning estimation to construct a convincing model. Considering the assessment result, the proposed model can get gathering results with a precision speed of 97% and a lack of 0.1606. Moreover, we in like manner got a F1-score of 98%.

Shivani Girme et al. [4] suggested that the assessment of stream researches the issues it tended to, and its possibilities. The supplement is centered around the wise assessment of different high level moreover, fruitful social event structures and frameworks. Here, it has been endeavored to consider the parts these methodologies have coordinated to chip away at the precision of the depiction. By using support vector machine computation is utilized to recommend the yields considering the soil. In this paper maker are Suggesting the plant information similarly for each gather using KNN classifier or the farmer will sell his thing on the web as well.

Md. Manowarul Islam et al. [5] expressed that the ResNet-50 defeats various models with an accuracy of 98.98%. In this manner, the ResNet50 model was chosen to be framed into a clever web application for certifiable yield disorder assumption. The proposed web application hopes to help farmers in distinctive ailments of plants by taking apart photos of the plant leaves. The proposed application uses the ResNet50 move learning model at its heart to perceive strong and polluted leaves and organize the ongoing ailment type. The goal is to help farmers with saving resources and hinder financial mishap by perceiving plant ailments early

and applying the fitting treatment.

Madhuri Shripathi Rao et al. [6] recommended, the famous calculations, for example, K-Nearest Neighbor (KNN), Choice Tree, and Flighty Woodland region Classifier utilizing two intriguing rules Gini and Entropy. Results uncover that Conflicting Woods gives the most raised accuracy among the three.

Sonal Agarwal et al. [7] suggested that this paper gives an inclined toward exactness over the ongoing model. It takes a gander at the given information and help the ranchers in foreseeing a harvest which subsequently help in acquiring benefits. The climatic and soil states of land are taken into made sure to foresee a real yield. The goal is to introduce a python based structure that utilizes systems splendidly to expect the most important get in given conditions with less costs. In this paper, SVM is executed as man-made knowledge calculation while LSTM and RNN are utilized as Critical Learning assessments.

Sk. Al. Zaminur Rahman et al. [8] proposed a model that can foresee soil series with land type and as indicated by supposition it can recommend reasonable yields. Two or three reproduced insight assessments, for example, weighted k-Nearest Neighbor (k-NN), Ended Trees, and Gaussian part based, Backing Vector Machines (SVM) are utilized for soil gathering. Fundamental results show that the proposed SVM based strategy performs better stood out from many existing systems.

Dhanush Vishwakarma [9] proposed a model that gives information about the fundamental substance and proportion of fertilizers, required seeds for headway. Therefore by using this design ranchers can foster another blend of yield, may expand in everyday pay and can keep away from soil debasement.

III PROPOSED METHOD AND ALGORITHM

3.1 Proposed Methodology

In this proposed procedure we will suggest the harvests utilizing AI. We, first and foremost, recognize the dirt sort utilizing CNN and afterward different elements like season, market cost in view of that we will suggest the harvests utilizing irregular backwoods model. Additionally, we are recommending the pesticides for crop infections utilizing CNN. In this undertaking we will involve KNN classifier for suggestion of modern data.




Fig1. Proposed Architecture

3.2 Algorithms

3.2.1 CNN

In this proposed research paper Convolution Brain Organization will be utilized for highlight extraction. CNN can get definite elements from the picture information, as opposed to taking the highlights individually. Created loads are separated from the various layers of CNN, for example, convolution layers, pooling layers, actuation layer and completely associated layers. Convolution layer is the vital job of this organization, which does the extraction of the highlights from the preparation picture information.




Fig2. CNN Architecture

3.2.2 Random Forest

Irregular timberland is a Managed AI Calculation that is utilized broadly in Grouping and Relapse issues. It diminishes the overfitting issues. It fabricates choice trees on various examples and takes their larger part vote in favor of characterization. In this venture we are anticipating the voice illness by utilizing irregular woodland model.




Fig3. RF Architecture

3.2.3 KNN

A refinement of the k-NN depiction calculation is to quantify the obligation of each of the k neighbors as shown by their distance to the solicitation point, giving more prominent weight to nearer neighbors. The KNN classifier prescribing the businesses to the rancher.




Fig 4. KNN Architecture.

$$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2} \dots\dots (1.1) d = \text{distance}$$

x_1, x_2, y_1, y_2 = data points

IV. CONCLUSION

A model is proposed for foreseeing soil and giving reasonable harvest yield idea to that particular soil. In this paper, we proposing a CNN model improved from customary CNN model and created from ConvNet. We are utilizing CNN model for soil picture arrangement and pesticides suggestion, which has four classes (Alluvial, Earth, Red, Dark) pictures characterization issue. In view of each and every class we will proposing the yields by utilizing arbitrary backwoods. Additionally in this task we are suggesting the market shops through KNN model. In this venture we are additionally zeroing in on pesticides proposal for crop illnesses.

REFERENCES

- [1] Elbasi E, Zaki C, Topcu AE, Abdelbaki W, Zreikat AI, Cina E, Shdefat A, Saker L. Crop Prediction Model Using Machine Learning Algorithms. Applied Sciences. 2023; 13(16):9288. <https://doi.org/10.3390/app13169288>.
- [2] Kavita Jhajharia a, Pratistha Mathur a, Sanchit Jain a, Sukriti Nijhawan “Crop Yield Prediction using Machine Learning and Deep Learning Techniques” Procedia Computer Science Volume 218, 2023, Pages 406-417.
- [3] Hamzah1, Mohammad Diqi2 Antony David Ronaldo “Effective Soil Type Classification Using Convolutional Neural Network” ISSN: 2685 International Journal of Informatics and Computation (IJICOM).
- [4] Shivani Girme*1, Shivani Mutke*2, Srushti Kokare, Akanksha Khobragade*4, Prof. Kailash Tambe*5 “SOIL CLASSIFICATION USING CONVOLUTIONAL NEURAL NETWORK AND CROP RECOMMENDATION BASED ON SUPPORT VECTOR MACHINE” Research Journal of Modernization in Engineering Technology and Science Volume:03/Issue:06/June-2021.
- [5] Md. Manowarul Islam a, Md Abdul Ahad Adil a, Md. Alamin Talukder a, Md. Khabir Uddin Ahamed a, Md Ashraf Uddin a, Md. Kamran Hasan a, Selina Sharmin a, Md. Mahbubur Rahman b, Sumon Kumar Debnath “DeepCrop: Deep learning-based crop disease prediction with web application” Journal of Agriculture and Food Research Volume 14, December 2023, 100764.
- [6] Madhuri Shripathi Rao, Arushi Singh, N.V. Subba Reddy and Dinesh U Acharya “Crop Prediction Using Machine Learning” Journal of Physics: Conference Series AICECS 2021.
- [7] Sonal Agarwal1 and Sandhya Tarar2 “A HYBRID APPROACH FOR CROP YIELD PREDICTION USING MACHINE LEARNING AND DEEP LEARNING ALGORITHMS” Journal of Physics: Conference Series CONSILIO 2020.
- [8] Surili Agarwal, Neha Bhangale, Kameya Dhanure, Shreeya Gavhane, V. A. Chakkarwar, Dr. M. B. Nagori “Application of Colorimetry to determine Soil Fertility through Naive Bayes Classification Algorithm” 9th

- [9] Dhanush Vishwakarma, Mahendra N, Ashwini, Manjuraju M. R “Crop Prediction using Machine Learning Approaches” International Journal of Engineering Research & Technology (IJERT).

