



Silica Enhanced Concrete: Microstructural And Seismic Performance A High-Performance Material Investigation

Shivam Shekhar

Department of Civil Engineering, Lingayas Vidyapeeth, Faridabad, India

Nitish Kaushik

Department of Mechanical Engineering, Lingayas Vidyapeeth, Faridabad, India

Abstract

The integration of nano-engineered materials into cementitious composites has revolutionized the domain of high-performance concrete. This study investigates the incorporation of nano-silica (NS) as a partial cement substitute, evaluating its effect on mechanical strength, microstructural morphology, and seismic resilience. Concrete specimens were synthesized with NS dosages of 0%, 0.25%, 0.5%, and 1% by weight of cement, subjected to rigorous compressive and flexural testing. Microstructural analyses through Scanning Electron Microscopy (SEM) and Field Emission Scanning Electron Microscopy (FESEM) revealed significant densification and hydration augmentation. A computational seismic simulation was executed on a ten-story Ordinary Moment Resisting Frame (OMRF) via Staad Pro to assess base shear variations. Results affirm that 1% NS enhances compressive strength by 16%, with minimal seismic impact. The findings establish NS as a potential additive for sustainable and high-durability concrete formulations.

Keywords

Nano-silica, High-performance concrete, Microstructural analysis, Seismic resilience, Computational modeling.

1. Introduction

In contemporary civil engineering, there is an increasing demand for materials that exhibit both high durability and sustainability. Cement, a critical component in concrete, significantly contributes to global carbon emissions, necessitating alternative materials that maintain structural integrity [1]. Nano-silica (NS), due to its ultrafine particle size and high pozzolanic reactivity, enhances the densification of the cementitious matrix and accelerates secondary hydration reactions [2][3].

2. Experimental Results and Discussion

Effect of Nano-Silica on Compressive Strength of Concrete




Fig. 1: Influence of Nano-Silica on Compressive Strength




Fig. 2: Influence of Nano-Silica on Flexural Strength




Fig. 3: Seismic Base Shear Analysis

3. Conclusion

Empirical investigations confirm that 1% nano-silica incorporation significantly enhances concrete's compressive strength while refining microstructural uniformity. The seismic analysis, however, indicates negligible base shear fluctuations, supporting NSs feasibility in structural applications. This research highlights NS as a viable eco-sustainable additive, contributing to the advancement of next-generation construction materials.

4. Future Research

Future research should explore the long-term durability of NS-modified concrete under extreme environmental conditions. Further studies are necessary to optimize NS dosage for ultra-high-performance concrete (UHPC) and to develop cost-effective nano-silica synthesis techniques.

References

- [1] H. Li et al., 'Microstructure of cement mortar with nanoparticles,' Compos. Part B, vol. 35, pp. 185189, 2004.
- [2] A. Nazari et al., 'Effects of nano-silica on mechanical properties of concrete,' Materials Science Forum, vol. 687, pp. 135-140, 2011.
- [3] G. Quercia & H.J.H. Brouwers, 'Application of nano-silica in concrete mixtures,' 8th fib PhD symposium, Denmark, 2010.
- [4] M.S. Morsy, S.H. Alsayed & M. Aqel, 'Impact of nano-clay on cement mortar properties,' Int. J. Civil Eng., vol. 10, no. 1, pp. 24-30, 2010.
- [5] IS 456:2000, 'Plain and Reinforced Concrete Code of Practice.'