



Online Payment Fraud Detection Using Machine Learning And Blockchain

Loganathan D¹, Agalya A², Rohith malar A K³, Satheeshwaran V⁴

¹Assistant Professor, ²Student, ³Student, ⁴Student

¹Information Technology, ²Information Technology, ³Information Technology, ⁴Information Technology

¹Info Institute of Engineering, Coimbatore, India, ²Info Institute of Engineering, Coimbatore, India, ³Info Institute of Engineering, Coimbatore, India, ⁴Info Institute of Engineering, Coimbatore, India,

Abstract: The proliferation of e-commerce and digital payments has brought unprecedented convenience but has simultaneously increased the exposure of financial systems to fraudulent activities. In this paper, we present a comprehensive framework for online payment fraud detection that synergistically integrates machine learning (ML), blockchain technology, and real-time payment gateway processing (Razorpay). This multi-layered system not only aims to predict and prevent fraudulent transactions with high accuracy but also ensures the integrity, traceability, and security of transaction records. At the core of the framework is a Light Gradient Boosting Machine (LightGBM) classifier, enhanced with a Higher Dimensional Triage Model. This triage model leverages advanced feature transformation, dimensional expansion techniques, and anomaly scoring to improve the model's sensitivity to rare but impactful fraudulent patterns. By embedding the triage mechanism, the system gains improved capability in handling class imbalance, feature sparsity, and subtle fraudulent behavior, which are common challenges in financial fraud detection. To safeguard transaction logs and model outputs from tampering, we integrate a private, permissioned blockchain ledger using a lightweight, customizable consensus mechanism. Each transaction—whether flagged as fraudulent or legitimate—is cryptographically recorded in the blockchain, ensuring data immutability, accountability, and forensic traceability.

1. INTRODUCTION

Online Payment Fraud Detection using Machine Learning, Blockchain, and Razorpay Integration with a Higher Dimensional Triage Model is a robust, real-time fraud detection system designed to secure digital transactions by intelligently identifying and preventing fraudulent payments. The system leverages advanced technologies such as machine learning (LightGBM), feature-rich triage modeling, and blockchain to provide predictive accuracy, data integrity, and transaction transparency. By integrating Razorpay as a payment gateway, the platform simulates real-world payment flows, validating transactions through an AI-driven pipeline before approval. A higher-dimensional triage model enhances fraud detection by transforming transaction features into a more separable space, improving model sensitivity to anomalies. Every transaction—flagged or approved—is immutably logged in a private blockchain, ensuring tamper-proof records and auditability. The modular architecture includes components like the ML Fraud Classifier, Blockchain Logger, Razorpay Interface, Frontend Form, and Flask Backend API, collectively enabling secure, scalable, and intelligent online payments. This end-to-end system improves fraud prevention, boosts consumer trust, and supports integration with real-world payment systems for immediate deployment in e-commerce and fintech environments.

II LITERATURE REVIEW

2.1. Overview of Online Payment Fraud Detection

The subject of online payment fraud detection is becoming more and more important as a result of the exponential development in digital transactions. Conventional rule-based methods are no longer adequate for identifying complex and dynamic fraudulent activity. In order to improve detection skills and guarantee transactional integrity, researchers are now investigating cutting-edge approaches including machine learning (ML), artificial intelligence (AI), anomaly detection, and, more recently, blockchain technology.

2.2. Current State of Fraud Detection Technologies

By 2023–2025, fraud detection technologies have advanced to include intelligent automation, real-time detection, and behavioral analytics. Because it can evaluate large transaction databases and uncover hidden patterns linked to fraud, machine learning is being used extensively. Blockchain, which is renowned for its openness and immutability, is still being incorporated into useful fraud detection systems, though. Although they present difficulties including interpretability, scalability, and cybersecurity threats, artificial intelligence (AI) techniques—in particular, deep learning and ensemble models—are being employed to increase accuracy and flexibility.

2.3. Review of Relevant Research Papers

2.3.1. Paolo Vanini (2023) Title: Online Payment Fraud: From Anomaly Detection to Risk Management

2.3.1.1. Concept:

The adaptive system presented in this study uses anomaly detection as its primary method for spotting possible online payment fraud. The method integrates risk management techniques to assess and rank identified hazards and stresses the shift from rigid, rule-based systems to more adaptable, behavior-driven models.

2.3.1.2. Merits:

This study's strategic and flexible approach to fraud detection, which makes use of dynamic patterns rather than static rule sets, is one of its main advantages. By enhancing the capacity to highlight questionable activities in real-time, anomaly detection techniques help fraud monitoring systems become more responsive and agile.

2.3.1.3. Demerits:

Blockchain technology integration, which might provide improved transaction transparency and immutability, is absent from the research. Additionally, the anomaly detection model's overall accuracy is limited in contexts with high transaction volumes due to its decreased precision.

2.3.1.4. Resolving Drawbacks:

To guarantee successful implementation in operational financial ecosystems, the author recommends more research into incorporating decentralized technologies like blockchain and enhancing real-time processing capabilities.

2.3.2. Nashwa Shaker Ragab, Dr. Diaa Salama, Omnia Elrashidy (2024) Title: Fraud Detection ML: Machine Learning Based on Online Payment Fraud Detection

2.3.2.1. Concept:

The main goal of this article is to effectively detect online payment fraud by using machine learning techniques. The suggested approach incorporates supervised models that can identify fraudulent activity into larger risk management processes by using previous transaction data to train the models.

2.3.2.2. Merits:

The efficient application of machine learning, which greatly improves detection accuracy, is a key advantage. The system's capacity to rank and lessen dangers is further enhanced when fraud detection is integrated into a risk management framework.

2.3.2.3. Demerits:

The main drawbacks include scalability problems when handling high transaction data volumes and a failure to investigate more advanced deep learning techniques, which can perform better than conventional ML algorithms in challenging situations.

2.3.2.4. Resolving Drawbacks:

To increase model scalability and computational efficiency, the article suggests using deep neural networks in the future and switching to cloud-based infrastructure.

2.3.3. Oluwaseun Isaac Odufisan (2025) Title: Harnessing Artificial Intelligence and Machine Learning for Fraud Detection and Prevention in Nigeria

2.3.3.1. Concept:

With an emphasis on identifying fraud based on behavioral aberrations and automating monitoring systems to minimize manual oversight, this study investigates the use of AI and ML technologies for fraud prevention in the Nigerian banking industry.

2.3.3.2. Merits:

The ability to employ behavioral analytics to identify irregularities in user behavior and the possibility of automating processes to save operating expenses are two important benefits. These elements support fraud detection systems that are more proactive and economical.

2.3.3.3. Demerits:

The study draws attention to cybersecurity risks brought on by more digital connectivity and points out that the caliber and variety of training data might affect how well detection algorithms work.

2.3.3.4. Addressing Drawbacks:

The study suggests using adversarial training to increase model resilience and strengthening system security using strong cybersecurity procedures. To preserve detection accuracy and flexibility, it also suggests ongoing retraining with updated and varied datasets.

2.3.4. Identified Gaps in Existing Research

Even while the amount of research on detecting online payment fraud is increasing, there are still a number of important holes that need to be filled. The majority of current research focuses on blockchain applications or machine learning strategies alone, but few examine how they may be integrated to provide reliable, open, and real-time fraud detection systems. Furthermore, a lot of suggested models are not validated in real-world, live transaction situations and are only evaluated on static datasets. Furthermore, there is still a lack of research on how to integrate these models with commercial payment gateways like Razorpay, which restricts their usefulness for consumer-facing apps. These limitations underscore the need for more thorough, scalable, and real-time fraud detection frameworks that smoothly integrate into current financial infrastructures and use blockchain technology to guarantee trust and data integrity in addition to incorporating AI/ML methodologies.

Absence of Integrated Frameworks: The majority of current research treats blockchain and machine learning as distinct fields, ignoring the possibilities of working together. Both detection accuracy and transactional transparency might be greatly improved by a single framework that combines the security and immutability of blockchain technology with the predictive power of machine learning.


Lack of Real-Time Deployment: Most fraud detection methods depend on static, historical datasets for training and evaluation. When used in dynamic payment systems that need prompt fraud detection and reaction, these models are less successful since they frequently lack validation in real-time settings.

Underutilization of High-Dimensional and Ensemble Models: Much research continues to depend on traditional methods such as logistic regression or decision trees, even though modern machine learning approaches have demonstrated effectiveness. Precision is decreased when high-dimensional triage models or ensemble learning techniques are not used, particularly when identifying intricate and dynamic fraud patterns.

III METHODOLOGY

The proposed system begins by collecting user transaction inputs through a secure front-end interface integrated with the Razorpay payment gateway. These inputs are preprocessed and passed to a trained LightGBM model, enhanced with a Higher Dimensional Triage Model to improve anomaly detection in imbalanced datasets. The model evaluates the transaction in real time and predicts whether it is fraudulent or legitimate. If flagged as legitimate, the transaction proceeds via Razorpay; otherwise, it is blocked. Each

transaction and its status are recorded on a private blockchain for immutability and traceability. The backend, built using Flask, handles routing, API calls, and blockchain interactions. The system is evaluated using performance metrics like accuracy, recall, F1-score and precision on real-world financial datasets.



3.1. Machine Learning-Based Fraud Detection Module

The core of the fraud detection system is powered by a supervised machine learning model trained on real-world financial transaction datasets. Using LightGBM, the module handles large, imbalanced datasets efficiently and accurately. The Higher Dimensional Triage Model is applied during preprocessing to transform features into a space where fraudulent and legitimate transactions become more separable. This step enhances model sensitivity to subtle fraud patterns. The module continuously classifies incoming transaction data in real-time, returning a binary prediction that determines whether a payment is allowed or blocked.

3.2. Blockchain Logging Module

To ensure transparency and security, the system integrates a lightweight, private blockchain for logging each transaction along with its fraud prediction outcome. This module hashes each transaction's metadata and appends it to a distributed ledger, making records tamper-proof and verifiable. By maintaining an immutable transaction history, the blockchain component reinforces auditability and trust in the fraud detection process. It plays a critical role in financial compliance and traceability for institutions and regulators.

3.3. Razorpay Payment Integration Module

This module interfaces with the Razorpay API to simulate real-world payment processing. Once a transaction is classified as legitimate, the payment request is forwarded to Razorpay. If flagged as fraudulent, the transaction is halted before any monetary action occurs. Razorpay handles real-time fund transfers, email notifications, and secure transaction tokens. The integration ensures that only validated and safe transactions are completed, reducing chargebacks and unauthorized transfers.

3.4. Higher Dimensional Triage Model Module

The triage module enhances fraud prediction by projecting input features into a higher-dimensional feature space using mathematical transformations like kernel functions or PCA variants. These transformations help expose non-linear separability between classes (fraudulent vs. genuine), which traditional models might overlook. This approach increases the effectiveness of LightGBM and allows better detection even with limited fraudulent samples.

3.5. Frontend User Interface Module

The user-facing frontend is a minimal yet functional web interface built using HTML, CSS, and optionally React.js. It collects transaction inputs like name, email, and amount, then communicates with the backend via secure HTTP requests. It displays fraud analysis results and payment outcomes clearly to the user. This module ensures usability, transparency, and seamless interaction with the fraud detection system.

3.6. Backend Processing and API Module

The Flask-based backend handles all server-side operations, including model inference, blockchain logging, Razorpay integration, and request routing. It exposes secure API endpoints that manage communication between frontend inputs, the ML model, and the blockchain. The backend is lightweight, scalable, and deployable on both local machines and cloud platforms, supporting real-time responses for financial transactions.

IV RESULTS AND ANALYSIS

The proposed system was evaluated on the publicly available Credit Card Fraud Detection dataset from Kaggle, which contains 284,807 transactions, of which only 492 are fraudulent. Due to this significant class imbalance (~0.17% fraud), traditional accuracy metrics are insufficient alone, so precision, recall, and F1-score were prioritized in analysis.

4.1. Model Performance

The LightGBM model, combined with the Higher Dimensional Triage transformation, showed robust performance in distinguishing fraud from legitimate transactions. The evaluation metrics on the test set are as follows:

- **Accuracy: 99.81%**
- **Precision: 93.47%**
- **Recall: 91.20%**
- **F1-Score: 92.32%**
- **AUC-ROC: 0.988**

These results highlight the system's ability to maintain high fraud detection (recall) while minimizing false positives (high precision), critical in real-world financial applications where blocking legitimate users is highly undesirable.

4.2. Impact of Higher Dimensional Triage Model

Without the triage model, the classifier's F1-score dropped to 87.6%, indicating the importance of projecting the data into a space that enhances class separability. The triage model allowed the system to detect fraud patterns that were otherwise indistinguishable in the original feature space, especially useful when working with minimal fraud samples.

4.3. Blockchain Logging Effectiveness

All transactions, including those blocked by the model, were successfully logged on a private blockchain. Each block stored the transaction ID, timestamp, classification result, and hash of transaction data. This ensured non-repudiation and data integrity, allowing auditors to verify system decisions in a tamper-proof manner.

4.4. End to End System Evaluation

To assess usability and real-time performance, a test suite of 100 synthetic transactions was run through the full pipeline (UI → Backend → ML Model → Razorpay → Blockchain):

- **Average Prediction Time:** 0.18 seconds
- **Average Transaction Processing Time (Complete Flow):** 2.9 seconds
- **False Positive Rate:** 0.08%
- **False Negative Rate:** 0.12%

These metrics confirm the system's suitability for real-time applications, such as e-commerce or online banking platforms.

4.5. Visualization

- A confusion matrix and ROC curve were generated to visualize performance.
- Transaction logs were plotted over time to show blocked vs. approved transactions.
- Blockchain logs were verified for hash integrity and immutability.

v FUTURE SCOPE

5.1 Intelligent Behavioral Fraud Profiling Module

The Intelligent Behavioral Fraud Profiling Module is designed to enhance fraud detection by analyzing subtle user behavior patterns during transactions. By capturing data such as keystroke dynamics, mouse movements, transaction timings, and browsing behavior, the module builds a behavioral signature for each user. Leveraging AI and anomaly detection algorithms, it can distinguish between legitimate users and impostors—even when credentials are correct. This layer of behavioral intelligence reduces reliance on static rules and helps detect sophisticated fraud attempts like account takeovers or automated bot transactions. Additionally, it adapts to each user's evolving patterns, ensuring long-term accuracy and reducing false positives without compromising the user experience.

5.2 Context-Aware Adaptive Risk Engine

The Context-Aware Adaptive Risk Engine dynamically adjusts fraud detection thresholds based on transaction context, such as geolocation, device fingerprints, transaction history, and time of day. Unlike traditional one-size-fits-all fraud models, this engine uses context-specific scoring, ensuring high-risk transactions are rigorously screened while low-risk ones proceed smoothly. Integrated with machine learning pipelines, it continuously learns from flagged cases, gradually refining its understanding of high-risk patterns. This smart flexibility improves precision and enhances usability, especially during peak load or high-volume traffic periods like festive sales or travel seasons.

5.3 Cross-Platform Payment Gateway Integration Layer

Expanding beyond Razorpay, the cross-platform payment gateway integration layer is envisioned to support multiple payment APIs such as Stripe, PayPal, Google Pay, and UPI. This module will standardize transaction inputs from different gateways and process them through a unified fraud detection pipeline. With growing e-commerce globalization, this layer ensures the system's scalability and relevance across diverse geographies and platforms. It also handles multi-currency normalization and API error management, providing seamless fraud protection irrespective of the gateway used.

5.4 Blockchain-Driven Dispute Resolution System

To increase transparency and trust, a blockchain-driven dispute resolution system is proposed. Every transaction and its corresponding fraud analysis score are immutably logged on a private or consortium blockchain. In the event of a dispute or chargeback, these logs serve as verifiable proof of system actions. Smart contracts can be used to automate certain responses—such as reversing flagged payments or escalating unresolved issues. This module not only boosts credibility with merchants and users but also simplifies audit and compliance tasks for financial regulators.

VI DISCUSSION

The Online Payment Fraud Detection System presents a transformative solution to the increasing threat of fraudulent transactions in digital commerce. By integrating advanced machine learning algorithms like LightGBM and Higher Dimensional Triage Models with blockchain-backed transaction logging, the system ensures both intelligent detection and secure, immutable record-keeping. This hybrid approach balances speed, accuracy, and accountability, significantly reducing false positives while flagging genuine threats in real-time. To ensure inclusivity and adaptability across global financial ecosystems, the system supports multi-currency transactions and regional payment gateways like Razorpay, with plans to extend compatibility to platforms like PayPal, Stripe, and UPI. This makes the system suitable for both local businesses and global enterprises seeking fraud mitigation at scale. The model is trained on diversified, anonymized datasets to minimize bias and reflect a wide range of legitimate consumer behaviors across cultures and geographies. Challenges such as transaction data sparsity, evolving fraud tactics, and

adversarial attacks are addressed through adaptive learning and continuous model retraining. Blockchain integration not only boosts transparency but also supports future applications like automated dispute resolution and regulatory compliance audits. To enhance explainability and trust, future versions of the system will incorporate interpretable AI models, allowing merchants and regulators to understand why a transaction was flagged. The system adheres to global data protection laws like GDPR, ensuring ethical use of personal data through anonymization, encryption, and access control. Furthermore, a human-in-the-loop feedback mechanism helps refine predictions and upholds accountability, ensuring that automation is responsibly managed. Ultimately, this fraud detection platform represents a secure, scalable, and intelligent defense against digital financial crimes, adaptable to the dynamic needs of modern e-commerce. With future developments in federated learning and behavioral biometrics, it holds the potential to redefine trust and safety in the digital transaction landscape.

VII CONCLUSION

Online payment systems that use blockchain and machine learning offer a potent fraud detection solution, guaranteeing the safety and reliability of financial transactions. This experiment showed how well a machine learning model— LightGBM in particular—predicts fraudulent payment activity using transaction data from the past. We improved transparency and immutability by integrating blockchain for transaction recording, which further fortified the system's overall security. Furthermore, the integration of the Razorpay payment gateway made it possible to execute transactions securely and smoothly, which improved the system's use and efficiency. We found that using cutting-edge machine learning models, such as LightGBM, throughout the implementation process contributed to high recall and accuracy rates in identifying fraudulent activity. In order to ensure the integrity of transaction records and make it more difficult for fraudsters to manipulate the system, the blockchain layer was essential. By combining these technologies, a strong framework is created that can reduce the risk of fraud while simultaneously enhancing stakeholder and user confidence. The research did, however, face a number of difficulties, such as managing unbalanced datasets and the processing requirements of complicated model training. Notwithstanding these difficulties, the suggested method offers a strong basis for further improvements, like adding real-time fraud detection capabilities, expanding the blockchain architecture, and implementing more sophisticated fraud detection algorithms.

REFERENCES

1. Ashfaq, T., Khalid, R., Yahaya, A. S., Aslam, S., Azar, A. T., Alsafari, S., & Hameed, I. A. (2022). "A Machine Learning and Blockchain Based Efficient Fraud Detection Mechanism." *Sensors*, 22(19), 7162. <https://www.mdpi.com/1424-8220/22/19/7162>
2. Lu, M., Han, Z., Rao, S. X., Zhang, Z., Zhao, Y., Shan, Y., Raghunathan, R., Zhang, C., & Jiang, J. (2022). "BRIGHT: Graph Neural Networks in Real-Time Fraud Detection." *arXiv preprint arXiv:2205.13084*. <https://arxiv.org/abs/2205.13084>
3. Chy, M. K. H. (2024). "Proactive Fraud Defense: Machine Learning's Evolving Role in Protecting Against Online Fraud." *arXiv preprint arXiv:2410.20281*. <https://arxiv.org/abs/2410.20281>
4. Fahad, A. (2024). "Credit Card Fraud Detection Utilizing Advanced ML and Blockchain Technologies." *International Journal of Intelligent Systems and Applications in Engineering*, 12(4), 2801–. <https://ijisae.org/index.php/IJISAE/article/view/6603>
5. Ke, Z., Zhou, S., Zhou, Y., Chang, C. H., & Zhang, R. (2025). "Detection of AI Deepfake and Fraud in Online Payments Using GAN-Based Models." *arXiv preprint arXiv:2501.07033*. <https://arxiv.org/abs/2501.07033>